

FTP Guide - Appendix I
Reparables Receiving Report

Version 5.10.0
February 2017



Prepared For:
Defense Logistics Agency

Prepared By:
CACI Enterprise Solutions, Inc.
50 North Laura Street, Suite 2100
Jacksonville, FL 32202

Under:
Contract No. SP4701-16-D-2001
Project Name: Invoicing, Receipt, Acceptance and Property Transfer (iRAPT)

Approved By:

Prepared By:

10/12/2016

X *Kim Mironov*

Kim Mironov
iRAPT FTP/EDI Technical Writer
Signed by: Kim Mironov

Approved By:

10/12/2016

X *Aimee Ivey*

Aimee Ivey
iRAPT FTP/EDI Technical Manager
Signed by: alvey

This page intentionally left blank.

History Page

<i>Version</i>	<i>Date</i>	<i>Change Description</i>
5.4.0-1	08/28/12	CAMCG166 Removed all History prior to 5.4
5.4.0-2	09/11/12	PRBAS373 Updated The Purpose of the Repairables RR section under General Instructions
5.4.0-3	10/04/12	ECP_0725 - FTP/EDI Guide Changes Line D: Field 2 added for 'Draft'
5.4.0-4	11/12/12	RISHA648 Line 16C – The following note was updated to reflect Quantity Shipped: NOTE: There may be multiple instances of the MILSTRIP Information per Line Item Loop. If MILSTRIP Information is entered, the sum of the quantities entered in Field 2 must be equal to the Quantity Shipped - Line 17, Field 1.
5.4.0-5	11/15/12	WIT Issue 2447 v5.3.1 SIT Reworded UII information under General Instructions/The Purpose of the Repairables RR/Paragraph after number 2
5.4.0-6	11/19/12	WIT Issue 2495 v5.4 SIT Line D: Updated samples for 'Draft' to D*VR^Y^ (Void & Replace with Draft) and D*^Y^ (Draft)
5.4.0-7	12/4/12	CAMCG182 Updated attachment size from 2MB to 5MB under Lines 15B and 26, last bullet
5.4.0-8	12/7/12	WIT Issue 2501 v5.4 SIT Line D: Added additional "Draft" information to notes section
5.4.0-9	12/12/12	WIT Issue 2467 v5.4 SIT Line 1 Fields 2 and 6: Updated Grant to Grant/Cooperative Agreement and added Non-Procurement Instruments to Description and Notes columns. Line 1B Field 1: Updated Grant to Grant/Cooperative Agreement and added L Non-Procurement Instruments to the list Lines 28 and 29 notes updated to 'one or more instances'
5.4.0-10	1/10/13	WIT Issue 2501 v5.4 SIT Line D: Updated first line of additional "Draft" information under "Notes" from EDI to FTP: When FTP submissions are identified as a "Draft", the system will process them inbound using the following minimal data set requirements
5.4.1-1	2/19/13	CAMCG196 Updated to Version 5.4.1, July 2013
5.4.1-2	02/25/13	ECP_0727 - FTP/EDI Guides Line 15 Field 1: Added MOCAS edit – 4N, 4N2A, 1A3AN, "NONE" or "NONE"NN
5.5.0-1	06/06/13	CAMCG211 Updated to Version 5.5.0, January 2014
5.5.0-2	06/17/13	ECP_0742 FTP/EDI Guides

		Line 15 Field 1: Updated One Pay to 4N or 4N2A
5.5.0-3	07/11/13	WIT Issue 2771 v5.4 OAT 1 Updated CCR reference to SAM under General Instructions/Notes section/4 th bullet
5.6.0-1	01/07/14	WAWF-215 Updated to Version 5.6.0, August 2014
5.6.0-2	01/14/14	WAWF-210 WIT Issue 3530 v5.5 OAT 2 Added "iRAPT only accepts X12 Unit of Measure Codes." to Notes section within General Instructions and to Line Number 18 Field 1.
5.6.0-3	01/21/14	WAWF-236 WIT Issue 3626 v5.5 OAT 2 Line 4D: Updated list of Secondary Transportation Tracking Number Types under Field 2 and separate list after the line to 08, AW, BN, CN, CY, FI, IZ, K2, K3, WY, XC, XY, or ZH.
5.6.0-4	02/18/14	WAWF-298 ECP0764 - FTP/EDI Guide Updates All Stock Part Number references updated to Product/Service ID and Stock Part Number Type references to Product/Service ID Qualifier. Line 16: Updated with Product/Service Information, updated Product/Service ID max length to 48 for Field 1 and added Sample. Updated first note at the top to: There may be up to 15 instances of the Product/Service Information line per Line Item Loop. Updated Field 1 notes to: If "FS" is used in Field 2, then Product/Service ID must be a minimum of 13 and a maximum of 13 alphanumeric characters.
5.6.0-5	04/06/14	WAWF-323 ECP0761 - FTP/EDI Guide Updates Line 15 Field 1: Added "The letters "I" and "O" may not be used within the Line Item Number."
5.6.0-6	04/24/14	WAWF-861 WIT Issue 3951 v5.6 SIT ECP 764 5.6b1f2: Guide issues for Product/Service ID Line 16: Field 2 – Removed MOCAS edit for Product/Service ID Qualifiers
5.6.0-7	05/15/14	WAWF-963 ECP0761 - FTP/EDI RRR / RCombo Guides Needs Mark Info Line 16Q: Added this new line for Embedded Mark Data
5.6.0-8	05/20/14	WAWF-1007 Updated Delivery Order Nos. to 0015 on header
5.6.0-9	07/08/14	WAWF-1283 Updated to Version 5.6.0, October 2014
5.6.0-10	07/17/14	IUID-503 Line 16, Field 1: Updated to 'If FS is used in Field 2, then Product/Service ID must be 13 numeric characters.'
5.6.0-11	08/19/14	WAWF-1449 Line 1 Fields 1 and 5: Added "Positions 10 through 13 may not be "0000"." to Contract Number edits for DoD FAR Contract. Line 1 Fields 2 and 6: Added "Letters "I" and "O" are not allowed. The characters "A" and "P" are prohibited in the first position. "0000" is not an acceptable value." to Delivery Order edits for DoD FAR Contract.
5.7.0-1	10/22/14	WAWF-1760 Updated to Version 5.7.0, April 2015

5.7.0-2	11/04/14	WAWF-1556 ECP0731 - FTP/EDI Guide Updates Added Line 2D.
5.7.0-3	02/24/15	WAWF-1908 ECP0794 guide updates Line 1 Field 1: Updated description of DoD Contract (FAR), added Uniform PIID (FAR 4.16) Line 1 Field 2: Updated description of DoD Contract (FAR), added Uniform PIID (FAR 4.16) Line 1 Field 5: Updated description of DoD Contract (FAR), added Uniform PIID (FAR 4.16) Line 1 Field 6: Updated description of DoD Contract (FAR), added Uniform PIID (FAR 4.16) Added Line 1 Contract Number and Delivery Order Edits Line 1B Field 1: Added S Uniform PIID (FAR 4.16)
5.7.0-4	05/06/15	iRAPT-53 Line Number 16- Field 2: Added SW to list of product/service ID qualifier codes for EBS
5.8.0-1	06/23/15	WAWF-2407 Updated to Version 5.8.0, November 2015
5.8.0-2	07/07/15	WAWF-2427 ECP0794 Line 1- Updated fiscal year in Line 1 Contract Number and Delivery Order Edits
5.8.0-3	08/26/15	DR 1274 Line 2- Field 4: Removed "iRAPT will default to 'N' if left blank. However, if the document is MOCAS, DCMA, EBS, or a DSS Ship To DoDAAC, the 8th character of the Shipment Number is 'Z', and Final Shipment is blank or 'N', Final Shipment will be modified to 'Y'." and "If the Final Shipment Indicator is not set to a 'Y' then iRAPT will set the Final Shipment Indicator to a 'Y' and provide a modification message back to the user." Added samples for Final Shipment Indicator Line 6- Field 3: Removed "If an Invoice Number is submitted in Field 1 and no value is submitted in this Field, then iRAPT defaults the value to 'N'." Added samples for Final Invoice Indicator
5.9.0-1	12/29/15	WAWF-2762 Updated version to 5.9.0, updated deployment date to June 2016
5.9.1-1	08/17/16	WAWF-3303 Updated contract number to SP4701-16-D-2001. Updated version to 5.9.1 and deployment date to October 2016.
5.10.0-1	09/27/16	IRAPT-1468 Line 21A- Note: Added "CoC is allowed only if the contract contains the CoC clause."
5.10.0-1	10/12/16	IRAPT-1515

		Added Line 15H. Line 16F- Added Field 3. Added Field 4. Added Supply Condition Codes. Added Line 16R. Added Line 31.
--	--	--

This page intentionally left blank.

Table of Contents

1	GENERAL INSTRUCTIONS.....	1
1.1	START (Label START)	5
1.2	User Identification (User ID) (Line Number A).....	6
1.3	Form Type (Line Number B)	7
1.4	Action Type Information (Line Number D)	8
1.5	Contract Information (Line Number 1).....	10
1.6	Foreign Currency (Line Number 1A)	15
1.7	Contract Number Type (Line Number 1B)	16
1.8	Reference Procurement Instrument Number (Line Number 1D).....	17
1.9	Shipment Information (Line Number 2).....	18
1.10	Additional Emails (Line Number 2D)	20
1.11	Services or Supplies (Line Number 3).....	21
1.12	Bill of Lading, TCN, & Transportation Method/Type Information (Line Number 4).....	22
1.13	Document Level AAA, ACRN, SDN (Line Number 4A).....	23
1.14	Transportation Leg (Line Number 4C)	24
1.15	Secondary Tracking Number Type Indicator (Line Number 4D)	25
1.16	Discount Information (Line Number 5) – Skip this Line	26
1.17	Invoice Information (Line Number 6).....	27
1.18	Period of Performance (Line Number 7) - Skip this Line.....	28
1.19	Inspection & Acceptance Points (Line Number 8).....	29
1.20	Prime Contractor (Line Number 9)	30
1.21	Prime Contractor Address Information (Line Number 9A).....	31
1.22	Tax Identification Number (TIN) & Account Information (Line 9B) – Skip this Line	33
1.23	Payee Address Information (Line Number 9C) – Skip this Line	34
1.24	Contract Location Codes (Line Number 9D)	35
1.25	Gaining Contract Location Codes (Line Number 9E).....	36
1.26	Administration DoDAAC (Line Number 10)	37
1.27	Administration Address Information (Line Number 10A).....	38
1.28	Inspect By DoDAAC (Line Number 10B).....	40
1.29	Inspect By Address Information (Line Number 10C)	41
1.30	Ship From CAGE / DoDAAC & FOB (Line Number 11).....	43
1.31	Ship From Address Information (Line Number 11A).....	44
1.32	Property Ship From CAGE/DoDAAC (Line Number 11B)	46
1.33	Property Ship From Address Information (Line Number 11C)	47

1.34	Payment Office DoDAAC (Line Number 12)	49
1.35	Payment Office Address Information (Line Number 12A)	50
1.36	Ship To CAGE / DoDAAC (Line Number 13)	52
1.37	Ship To Address Information (Line Number 13A)	53
1.38	Local Processing Office DoDAAC (Line Number 13B)	55
1.39	Local Processing Office Address Information (Line Number 13C)	56
1.40	Accept By DoDAAC (Line Number 13D) – Skip this Line	58
1.41	Accept By Office Address Information (Line Number 13E) – Skip this Line	59
1.42	Property Ship To (Line Number 13F)	60
1.43	Property Ship To Address Information (Line Number 13G)	61
1.44	Property Receiver (Line Number 13H)	63
1.45	Property Receiver Address Information (Line Number 13I)	64
1.46	Mark For Delivery CAGE/DoDAAC (Line Number 14)	66
1.47	Mark For Delivery Address Information (Line Number 14A)	67
1.48	Mark For Delivery Comments (Line Number 14B)	69
1.49	Mark For Delivery Secondary Comments (Line Number 14C)	70
1.50	Line Item Information (Line Number 15)	71
1.51	CDRL Information (Line Number 15B)	73
1.52	SYSUID Information (Line Number 15C)	75
1.53	Purchase Request Number (Line Number 15F)	76
1.54	Type Designation (Line Number 15G)	77
1.55	Line Level Supply Condition Code (Line Number 15H)	78
1.56	Product/Service Information (Line Number 16)	80
1.57	Line Item Description (Line Number 16A)	82
1.58	ACRN, SDN, & Line Level AAA (Line Number 16B)	83
1.59	MILSTRIP Information (Line Number 16C)	84
1.60	Unique Identifier Header Information (UID) (Line Number 16D)	86
1.61	Unique Identifier Description Information (UID) (Line Number 16E) – Skip this Line	88
1.62	Unique Identifier Detail Information (UID) (Line Number 16F)	89
1.63	Multiple ACRN & Price Information (Line Number 16G)	91
1.64	Chargeable Fiscal Year (Line Number 16H) – Skip This Line	93
1.65	ACRN Level Long Line of Accounting Data (Line Number 16I) – Skip this line.	94
1.66	Reference Shipment Numbers & Amounts – ACRN Level (Line Number 16J) Skip this line.	95
1.67	Transportation Indicator (Line Number 16K) – Skip This Line	96
1.68	Multi-Box Pack Indicator (Line Number 16L)	97
1.69	Embedded UIIs/UID (Line Number 16M)	98
1.70	Embedded Item Description (Line Number 16N)	104

1.71	Embedded UID Number/Serial Number (Line Number 16O)	105
1.72	Embedded Mark Value for UII (Line Number 16Q)	106
1.73	Serial Number (Line Number 16R)	108
1.74	Quantity Shipped/Invoice Provided Information (Line Number 17)	109
1.75	Unit of Measure Code (Line Number 18)	111
1.76	Unit Price / Amount (Line Number 19)	112
1.77	Not Separately Priced (Line Number 19A)	113
1.78	Mark For Delivery CAGE/DoDAAC – Line Level (Line Number 19B)	114
1.79	Mark For Delivery Comments – Line Level (Line Number 19C)	115
1.80	Mark For Delivery Secondary Comments – Line Level (Line Number 19D)	116
1.81	Issue By DoDAAC (Line Number 20)	117
1.82	Issue By Address Information (Line Number 20A)	118
1.83	Weight Information (Line Number 21)	120
1.84	ARP, CoC, & Construction Information (Line Number 21A)	121
1.85	Estimated Delivery Date (Line Number 22) – Skip this Line	122
1.86	Comments (Line Number 23)	123
1.87	Accounting Data – FORM LEVEL (Line Number 24) – Skip this Line	124
1.88	Attachment Indicator (Line Number 25)	125
1.89	Attachment Files (Line Number 26)	126
1.90	ACRN Worksheet (Line Number 27) – Skip this Line	128
1.91	Radio Frequency Identification (RFID) & Pack Data – (Line Number 28)	129
1.92	RFID Reporting – CLIN/SLIN/ELIN Number & Quantity – (Line Number 29)	132
1.93	RFID Reporting – UID Information (Line Number 30)	133
1.94	RFID Reporting – Serial Number Information (Line Number 31)	134
1.95	SEPARATOR or END (Label SEPARATOR or END)	135

This page intentionally left blank.

1 General Instructions

The following pages represent the Invoicing, Receipt, Acceptance and Property Transfer (iRAPT) User Defined Format (UDF) for processing Repairables Receiving Report transactions in iRAPT, including Unique Identification (UID) and Pack Data/RFID information. Please refer to other UDFs to process the following documents: Non-Repairables Receiving Report, Receiving Report – Pack/RFID Update, Invoice and Invoice 2n1, Cost Vouchers, Progress Pay, Performance Based Payments, and Commercial Item Financing. Fast Pay is not allowed for use with Repairables Receiving Reports.

The Purpose of the Repairables RR:

The Appendix I (RepairablesRR).doc (Receiving Report for Repairables) is used to capture data for the acceptance of the repair of repairables and the transfer of those repairables and if applicable, their associated UIIs (including property that is shipped in place). Thus, it should only be used when the Receiving Report meets all the criteria listed below:

1. The receiving report represents a repair activity – the QA / Acceptance signatures are for the acceptance of the REPAIR of government property hardware.
2. The UIIs on the hardware have been added to the UID Registry and loaded with a custody record that indicates the hardware is in the custody of the Contractor.

Do not use this transaction for original sale of items with or without UIIs. For these types of documents, use the Appendix E (ReceivingReport_EnergyRR).doc transaction.

For Repairables whose UIIs have not been loaded to the UID Registry, an independent update will need to be made to the Registry to add the UII(s) and associated custody record(s) to indicate that the UII item is currently in contractor custody.

NOTE: If using a word processor program (i.e. Microsoft Word, WordPerfect, Microsoft WordPad, Microsoft Write, etc.) to create FTP files, the text must first be cut or copied out of the word processor program. It would then be required to be pasted into Microsoft Notepad or another ASCII text editor and saved before sending the data to iRAPT. This converts the text to text-only format and removes the control characters that contain formatting information.

When submitting an attachment for a document, you must submit the attachments first, then the document file(s). Each attachment may only be used for a single document. A single attachment may not be used for multiple documents. If this is necessary, then submit the attachment with a unique name for each document. To avoid potential errors, FTP files and attachments need to be sent to iRAPT in a binary format.

WARNING: Invoicing, Receipt, Acceptance and Property Transfer (iRAPT) is designated for Sensitive Unclassified information ONLY. Do NOT upload classified attachments into iRAPT.

iRAPT Website:

<https://wawf.eb.mil>

Website for detailed UID information:

<http://www.acq.osd.mil/dpap/pdi/uid/index.html>

Website for detailed RFID information:

<http://www.acq.osd.mil/log/rfid/index.htm>

Each UDF layout includes the following:

1. **Field** Sequential number of the Field contained within the layout record.
2. **Description** Description of information to be contained within the Field.
3. **Min/Max** Minimum/maximum number of characters to be included in the Field.
4. **RR** Depicts whether the Field is:
 - M** – Mandatory – Usage is required.
 - O** – Optional – Can be used or not used.
 - C** – Conditional – Contingent upon another criteria being met. (Field is not mandatory or optional, e.g. Extension Fields to Department of Defense Activity Address Codes (DoDAAC); use if a DoDAAC is present.)_See Notes Column for specific instructions.
 - N/A** – Not Allowed
5. **Notes** Contains notations of the Field’s usage or restrictions within iRAPT.
6. **Type** Contains the Data Field type, (i.e., Alpha/Numeric, Numeric, Date, etc.).

In addition, Fields to be included within iRAPT display the Field “Type” to depict the type of value to be included within the Field:

- **N** Integer Numeric Field
- **R** Decimal number. Where value includes decimal, iRAPT requires that decimal point and value be sent: iRAPT will NOT imply or assume decimal points.
Examples:
 - 300 will be read into iRAPT as “300”
 - 3.00 will be read into iRAPT as “3”
 - 3.5 will be read into iRAPT at “3.5”
 - Decimal is included as part of Max Value – e.g., R8.2 = 11 characters
- **ID** Identifier
- **AN** Alphanumeric String
- **DT** Date – All Date Fields use format CCYYMMDD
- **TM** Time – All Time Fields use format HHMMSS

NOTES:

- All Line Numbers, if used, must be followed by an asterisk ("*") field separator. Each Field within the line must also be followed by a caret ("^") field separator unless it is the last Field in the Line Number that contains data.
- Special characters should not be sent to iRAPT via Secure FTP. If special characters are sent, iRAPT strips them out.
- For Lines not used within this guide – a note states, “Skip this Line.”
- Address information for valid Commercial and Government Entity (CAGE) codes is downloaded from the System for Award Management (SAM) database.
- Address information for valid DoDAAC and Military Assistance Program Address Code (MAPAC) codes is downloaded from Defense Automatic Addressing System Center (DAASC) database.
- In every location where the system is expecting a letter code or ID code, the letters must be capitalized. For example: Yes/No responses – the “Y” or “N” must be capitalized, Product/Service ID Qualifier Codes and Transportation Method/Type Codes must also be capitalized.
- All FTP files must have the following extension: .ftp or .FTP
- When appropriate, below the Line layout, there are list(s) of values for the Fields that has identifiers. The basic import file layout is the same for all document types. For this reason, Fields that are allowed by iRAPT, but that are not used for this document type, are shaded.
- The word “must” in a Line Note implies that the Line is mandatory. The word “may” in a Line Note implies that this Line is Conditional based on the terms of the contract or the needs of the contractor.
- Minimum/Maximum allowable field sizes for all monetary fields other than Unit Price will be affected when using foreign currencies.
- The system will pad zeroes to right of the decimal point up to the number of digits allowed for a Currency Code.
- The system will drop zeroes to the right of the decimal point if they exceed the number of digits allowed for a Currency Code.
- If a non-zero number is given to the right of the maximum number of allowable decimal places as specified by the Currency Code, an error will be given.
- For currencies that allow more than 2 positions to the right of the decimal, the number of digits that may be entered left of the decimal point will be decreased to accommodate the extra digits allowed past the decimal. For instance, a monetary field that allows a

maximum field size of 8.2 would allow a maximum field size of 7.3 when using a foreign currency that allows 3 decimal positions.

- For currencies that allow less than 2 positions to the right of the decimal, the number of digits that may be entered left of the decimal point will remain unchanged.
- iRAPT only accepts X12 Unit of Measure Codes.

NOTE: To send follow-up, PACK Data/RFID Information, please submit a supplemental Reparables Receiving Report. Refer to the following document for detailed instructions on the Fields to use for FTP filing of a supplemental report with PACK Data/RFID information: ReceivingReport_Pack_Update_UDF.doc.

1.1 START (Label START)

NOTES: There must be one instance of the START Line per import file.

START must be capitalized.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Form Counter	1/3	M	Number of transactions within the file.	N

Sample:

START*10^

1.2 User Identification (User ID) (Line Number A)**NOTE:** There must be one instance of the User ID per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	User ID	8/30	M	<p>iRAPT User ID: This User ID is for the individual responsible for submitting the document/transaction.</p> <p>The User ID is the personal iRAPT User ID that the individual uses for Web access.</p> <p>This is not the User ID provided to the person(s) authorized to actually submit the FTP files to the company's iRAPT FTP directory.</p> <p>The iRAPT User ID is case sensitive.</p>	AN

Sample:

A*j1R52Ssh^

1.3 Form Type (Line Number B)

NOTE: There must be one instance of the Form Type per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Form Type	3/3	M	"RRR" must be capitalized.	ID

Sample:

B*RRR^

1.4 Action Type Information (Line Number D)

NOTE: There may be one instance of the Action Type per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Action Type	1/2	O	Valid values are "V" and "VR".	ID
2	Draft Indicator	1/1	O	Submit 'Y' to indicate this is a draft document. See additional notes below.	AN

Samples:

D*V^ (Void)

D*VR^ (Void & Replace)

D*VR^Y^ (Void & Replace with Draft)

D*^Y^ (Draft)

Notes:

- Void and Void & Replace will not be available for the 'Associated' Property Transfer Document.
- A void transaction will not be accepted by iRAPT in the following instances:
 - An RRR in a 'Submitted' Status with a Navy ERP Ship To
 - An RRR in a 'Submitted' Status with a Ship To that is signed up for a Standard Workflow – By Shipment Extract
 - For Void or Void & Replace documents, the following Key data elements cannot be changed
 - Contract Number, (Line 1)
 - Delivery Order Number, (Line 1))
 - Shipment Number, (Line 2, Field 1)
- When FTP submissions are identified as a "Draft", the system will process them inbound using the following minimal data set requirements:
 - Vendor CAGE
 - Contract Number Type (Defaults to DoD Contract (FAR) if not entered)
 - Contract Number
 - Delivery Order Number
 - Pay Official DoDAAC

- Document Type
- Routing DoDAACs depending on the document type and pay system
- Invoice/Shipment Number depending on the document type
- If any Line Item data is submitted, the Item No is mandatory

Once submitted as a “Draft”, all documents must be processed via the web interface using the current “Save and Continue” functionality. There will be no ability to “add to a document” via additional electronic submissions.

Action Type Codes

V Void
VR Void & Replace

1.5 Contract Information (Line Number 1)**NOTE:** There must be one instance of the Contract Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Contract Number	1/19	M	Contract Number No special characters allowed.	AN
	DSS	13/13	M	Must be 13 alphanumeric characters with no spaces, 7 th and 8 th position must be numeric, 9 th position must be an alpha character. If the letters "A," "D," or "G" are entered in the 9 th position, a Delivery Order Number in Field 2 is required. The letters "O" and "I" may not be used within the Contract Number.	
	DoD Contract (FAR)	13/13		If Contract Number Type is "DOD Contract (FAR)," please see notes below for Contract Number Edits.	
	Uniform PIID (FAR 4.16)	13/17		If Contract Number Type is "Uniform PIID (FAR 4.16)," please see notes below for Contract Number Edits. Use Line Number 1D to enter GSA Contract Number.	
2	Delivery Order Number	0/19	C	Delivery Order, Call or Release Number No special characters allowed.	AN
	DSS	0/4		A Delivery Order Number is required if the 9 th position in the Contract Number reported in Field 1 is either the letter "A," "D," or "G."	
	DoD Contract (FAR)	0/13		When the selected Contract Number Type is "DoD Contract (FAR)," please see notes below for Delivery Order Edits.	
	Uniform PIID (FAR 4.16)	13/17		When the selected Contract Number Type is "Uniform PIID (FAR 4.16),"	

				please see notes below for Delivery Order Edits.	
3	Issue Date	8/8	O	CCYYMMDD	DT
4	Task Order	N/A	N/A	Not used.	N/A
5	Gaining Contract Number	1/19	C	Contract Number No special characters allowed.	AN
	DSS	13/13		Must be 13 alphanumeric characters with no spaces, 7th and 8th position must be numeric, 9th position must be an alpha character. If the letters "A", "D", or "G" are entered in the 9th position, a Delivery Order Number in Field 2 is required. The letters "O" and "I" may not be used within the Contract Number. Note: This Field is optional if the contractor is changing. If the contract is changing, this Field is mandatory.	
	DoD Contract (FAR)	13/13		If Contract Number Type is "DOD Contract (FAR)," please see notes below for Contract Number Edits.	
	Uniform PIID (FAR 4.16)	13/17		If Contract Number Type is "Uniform PIID (FAR 4.16)," please see notes below for Contract Number Edits.	
6	Gaining Delivery Order Number	0/19	C	Delivery Order, Call or Release Number No special characters allowed.	AN
	DSS	0/4		A Delivery Order Number is required if the 9 th position in the Contract Number reported in Field 1 is either the letter "A," "D," or "G." Note: This Field is optional if the contractor is changing. If the contract is changing, this Field is mandatory.	
	DoD Contract (FAR)	0/13		When the selected Contract Number Type is "DoD Contract (FAR)," please see notes below for Delivery Order Number.	

	Uniform PIID (FAR 4.16)	13/17		When the selected Contract Number Type is "Uniform PIID (FAR 4.16)," please see notes below for Delivery Order Edits.	
7	Gaining Issue Date	8/8	O	CCYYMMDD – This is the Gaining Contract Issue Date. iRAPT will ignore.	DT
8	Effective Date	8/8	C	CCYYMMDD – Effective Date. Mandatory when the Property transfer flow is contract to contract and the prime contractor does not change.	DT
9	Estimated Delivery Date	8/8	O	CCYYMMDD	DT

Samples:

1*GS918908C3256578957^F0981908C7733^20081122^^GCN0000000001^GD01^20080202^20080101^20080404^

Note:

- DSS edit applies when a DSS location code is entered as a Ship To or Property Ship To.

Line 1 Contract Number and Delivery Order Edits**Contract Type is "DoD Contract (FAR)"; Fiscal Year 17 and later****Contract Number Edits:**

- No special characters allowed.
- Must be 13 characters in length.
- Contract cannot contain "O" or "I" at any position.
- First 6 positions must be a valid government DoDAAC.
- Positions 7 and 8 (FY parameter) must be numeric and greater than or equal to 17 and less than 66.
- Position 9 must be alpha.
- Position 9 may not be: B, E, I, J, O, Q, R, U, W, X, Y, or Z.
- Position 10 through 13 in the Contract Number may not be "0000."

Delivery Order Number Edits:

- No special characters allowed.
- Must be 13 characters in length.
- Delivery Order Number may not contain "O" or "I" at any position.
- First 6 positions must be valid government DoDAAC.
- Positions 7 and 8 (FY parameter) must be numeric and 17 or greater and less than 66.
- Position 9 must be F.

- Position 10 through 13 in the Delivery Order Number may not be “0000” (all zeroes).
- Delivery Order is prohibited when the 9th position of the Contract Number is C, F, H, M, P, or V.
- For Acquisition, Delivery Order is required when the 9th position of the Contract Number is A, D, or G.
- For Property, Delivery Order is required when the 9th position of the Contract Number is A or G.

Contract Type is “DoD Contract (FAR)”; Fiscal Year 16 and prior

Contract Number Edits:

- No special characters allowed.
- Must be 13 characters in length.
- Contract cannot contain "O" or "I" at any position.
- First 6 positions must be a valid government DoDAAC.
- Positions 7 and 8 (FY parameter) must be numeric and less than 17 or greater than 65.
- Position 9 must be alpha.
- Position 9 cannot be - B, E, I, J, N, O, Q, R, T, U, or Y.
- Position 10 through 13 in the Contract Number may not be “0000.”

Delivery Order Number Edits:

- No special characters allowed.
- Must be 0, 4, or 13 characters in length.
- May not contain "O" or "I" at any position.
- For Property, Delivery Order required when the ninth position of Contract Number is A or G.
- For Acquisition, Delivery Order required when the ninth position of Contract Number is A, D or G.
- Delivery Order prohibited when ninth position of Contract Number is C, F, M, P, V, or W.
- If the Delivery Order is 4 characters, the following edits will be applied:
 - The characters “A” and “P” are prohibited in the first position of 4-character Delivery Order Number.
 - “0000” is not acceptable value.
- If the Delivery Order is 13 characters, the following edits will be applied:
 - First 6 positions must be valid government DoDAAC.
 - Positions 7 and 8 must be numeric.
 - Position 9 must be F.
 - Positions 10 through 13 cannot be all zeroes.

Contract Type is “Uniform PIID (FAR 4.16)”

Contract Number Edits:

- No special characters allowed.
- Must be 13 to 17 characters in length, inclusive.
- Contract cannot contain "O" or "I" at any position.
- First 6 positions must be a valid government FEDAAC.
- Positions 7 and 8 (FY parameter) must be numeric and 16 or greater.
- Position 9 must be alpha.
- Position 9 cannot be: B, E, I, J, O, Q, R, U, W, X, Y, or Z.
- Position 10 through the end of the Contract Number may not be all zeroes.

Delivery Order Number Edits:

- No special characters allowed.
- Must be 13 to 17 characters in length, inclusive.
- Delivery Order Number may not contain "O" or "I" at any position.
- First 6 positions must be a valid government FEDAAC.
- Positions 7 and 8 must be numeric and 16 (FY parameter) or greater.
- Position 9 must be F.
- Position 10 through the end of the Delivery Order Number may not be all zeroes.
- Delivery Order is prohibited when the 9th position of the Contract Number is C, F, H, P, or V.
- For Acquisition, Delivery Order is required when the 9th position of the Contract Number is A, D, or G.
- For Property, Delivery Order is required when the 9th position of the Contract Number is A or G.

1.6 Foreign Currency (Line Number 1A)

NOTE: There may be one instance of Line 1A per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Foreign Currency Code	3/3	O	Value must be capitalized. All foreign currency codes are alphabetic.	AN

Sample:

1A*EUR^

Notes:

- Minimum/Maximum allowable field sizes for all monetary fields other than Unit Price will be affected when using foreign currencies.
- The system will pad zeroes to right of the decimal point up to the number of digits allowed for a Currency Code.
- The system will drop zeroes to the right of the decimal point if they exceed the number of digits allowed for a Currency Code.
- If a non-zero number is given to the right of the maximum number of allowable decimal places as specified by the Currency Code, an error will be given.
- For currencies that allow more than 2 positions to the right of the decimal, the number of digits that may be entered left of the decimal point will be decreased to accommodate the extra digits allowed past the decimal. For instance, a monetary field that allows a maximum field size of 8.2 would allow a maximum field size of 7.3 when using a foreign currency that allows 3 decimal positions.
- For currencies that allow less than 2 positions to the right of the decimal, the number of digits that may be entered left of the decimal point will remain unchanged.

1.7 Contract Number Type (Line Number 1B)

NOTES: There may be one instance of Line 1B per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Contract Number Type	1/1	O	<p>Enter a Contract Number Type: A Cooperative Agreement. B DoD Contract (FAR) C DoD Contract (Non FAR) D Grant/Cooperative Agreement E Intragovernmental F Intergovernmental G International Agreement. I Non-DoD Contract (FAR) J Non-DoD Contract (Non FAR) K Other Agreement L Non-Procurement Instruments S Uniform PIID (FAR 4.16)</p> <p>If the value is not provided, the transaction will be defaulted to a value of B - DoD Contract (FAR), and all associated edits for Contract Number and Delivery Order number structure associated with DOD Contract (FAR) will be applied to the inbound file and if not met the file will fail.</p>	ID
2	Losing or Gaining Contract Number Type Indicator	1/1	O	<p>Submit "G" for Gaining or "L" for Losing. If this field is not submitted, iRAPT will assume this Field is for Losing. This Field can also be left blank.</p>	A

Samples:

1B*A^G^

1B*K^L^

1B*K^^

1.8 Reference Procurement Instrument Number (Line Number 1D)

NOTES: There may be one instance of Line 1D per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Reference Procurement Number	1/19	O	GSA Contract Number	AN

Sample:

1D*A3JF6182HDG34JA^

1.9 Shipment Information (Line Number 2)**NOTE:** There must be one instance of the Shipment Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Shipment Number	2/22	M	The Shipment Number will be converted to uppercase.	AN
	MOCAS, DCMA	7/8	M	Must be 7 or 8 characters in the format of AAAXNNN and may have a "Z" in the 8th position. The following edits will be applied: If the shipment number is 8 characters, then the 8th character must be a "Z." If the Final Shipment Indicator is "Y," then the Shipment Number must be exactly 8 characters with the 8th character being a "Z."	
	MOCAS		M	Prefixes 'SER' and 'BVN' are not allowed. If the Shipment Number is 8 characters and the 8th character is a "Z," then the Final Shipment Indicator must be set to "Y."	
	EBS	7/8	M	EBS: must be 7 to 8 characters. The following edits will be applied: If the shipment number is 8 characters, then the 8th character must be a "Z." If the Final Shipment Indicator is "Y," then the Shipment Number must be exactly 8 characters with the 8th character being a "Z." If the Shipment Number is 8 characters and the 8th character is a "Z," then the Final Shipment Indicator must be set to "Y."	
	DSS	7/8	M	Must be 7 or 8 characters in the format of AAAXNNN and may have a Z in the 8th position. Must be 7 or 8 characters, the first 7 characters must be in the format of 3 alpha characters, an alphanumeric, then 3 numeric characters. (Sample: DCME778). The 8 th position must be an alpha character.	
2	Shipment Date	8/8	M	CCYYMMDD	DT
3	Estimated Shipment Date Indicator	1/1	O	Identifies if Shipment Date is estimated or not. Enter a capitalized "E" if date in Field 2	ID

				is an Estimated Shipment Date. If not, leave blank.	
4	Final Shipment	1/1	C	Identifies if the Shipment is the Final shipment. Enter a capitalized "Y" for Yes or "N" for No. If the Shipment Number ends with a "Z," the Final Shipment Indicator must be set to a "Y."	ID

Sample:

2*SHIP001^20090803^^Y^ (Final)

2*SHIP01^20080803^E^N^ (Not Final)

Note:

- DSS edit applies when a DSS location code is entered as a Ship To or Property Ship To.

1.10 Additional Emails (Line Number 2D)

NOTE: This line is used to submit email addresses to which iRAPT will forward an additional workflow notice for the document.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>TELC</i>	<i>TELN</i>	<i>Notes</i>	<i>Type</i>
1	Additional Emails	1/60	O	N/A	Multiple instances of this line are allowed.	AN

Sample:

2D*john@gmail.com^

1.11 Services or Supplies (Line Number 3)

NOTE: There must be one instance of the Services or Supplies per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Services or Supplies MOCAS and/or DCMA Administered EBS	3/3	M	<p>“SPL” for supplies or “SVC” for services must be capitalized.</p> <p>The relationship of a services (“SVC”) Reparables Receiving Report to a supplies (“SPL”) Commercial Invoice (and vice versa) is not allowed.</p> <p>“SVC” is not allowed.</p>	ID

Sample:

3*SPL^

1.12 Bill of Lading, TCN, & Transportation Method/Type Information (Line Number 4)

NOTE: There may be one instance of the TCN and Transportation Method/Type Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Bill of Lading	N/A	N/A	Not used (Use Line Number 4C to enter Bill of Lading.)	N/A
2	TCN	17/17	O	Transportation Control Number (TCN) The 16 th position must be an alpha character but may not be "I" or "O".	AN
3	Transportation Method/Type	1/1	O	Please refer to the Transportation Method/Type Code Table maintained under the "Lookup" tab. "Transportation Method/Type" alpha codes must be capitalized.	ID
4	Bill of Lading Type Indicator	N/A	N/A	Not used. (Use Line Number 4C to enter Bill of Lading Type.)	N/A
5	Serial Shipping Container Code	18/18	O		N
6	Transportation Later Indicator	1/1	O	Enter 'Y' to indicate Transportation Data will be submitted later. Y, N, or blank are allowed.	AN

Sample:

4*^TCN041212347861R5^^^104236791753187412^

4*^TCN041212347861R5^^^104236791753187412^Y^

4*^Y^Y^Y^Y^Y^Y^Y^

1.13 Document Level AAA, ACRN, SDN (Line Number 4A)**NOTE:** There may be one instance per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	AAA	6/6	O		AN
2	ACRN	2/2	O		AN
3	SDN One Pay	1/30 13/15	O	Standard Document Number (SDN) must be 13, 14 or 15 alphanumeric characters for One Pay when AAI is not found in the DOD AAI table. Standard Document Number (SDN) must be 9, 13, 14 or 15 alphanumeric characters for One Pay when AAI is found in the DOD AAI table.	AN

Sample:

4A*067443^AA^V44890721BP08^

Note:

For One Pay, Line 4A, Field 2 (document-level ACRN) is not used. Instead, use Line 16G for One Pay for single and multiple ACRN information.

1.14 Transportation Leg (Line Number 4C)

NOTE: There may be one instance of the Transportation Leg per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Transportation Leg	1/1	C	If Secondary Tracking Number (Line 4D, Field 1) is entered, then this Field is mandatory. If Standard Carrier Alpha Code (Line 4C, Field 2) is entered, then this Field is mandatory. If Bill of Lading (Line 4C, Field 3) is entered, then this Field is mandatory. Enter "1" for iRAPT.	N
2	Standard Carrier Alpha Code	2/4	O	This is a code that identifies the actual carrier/transportation company.	AN
3	Bill of Lading	1/30	O	Bill of Lading Number	AN
4	Bill of Lading Type	1/1	O	Valid values are "C" for Commercial Bill of Lading, "G" for Government Bill of Lading, or Blank. Default is "C".	ID

Samples:

4C*1^^^ (If this sample applies, then Line 4D must be used)

4C*1^USPS^BOL0891243^C^ (Transportation Leg, SCAC, Bill of Lading (BOL) and BOL Type)

4C*1^USPS^BOL0891243^^ (Transportation Leg, SCAC and Bill of Lading)

4C*1^^BOL891243^G^ (Transportation Leg, Bill of Lading and Bill of Lading Type)

1.15 Secondary Tracking Number Type Indicator (Line Number 4D)

NOTE: There may be one or two instances of this Line Number per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Secondary Tracking Number Type Indicator	2/2	C	If Secondary Tracking Number (Line 4D, Field 2) is entered, this Field is mandatory.	AN
2	Secondary Tracking Number	1/30	C	If Field 1 = = 08, AW, BN, CN, CY, FI, IZ, K2, K3, WY, XC, XY or ZH, enter Secondary Tracking Number in Field 2. There may be up to two instances of this Field.	AN
3	Secondary Tracking Number Description	1/30	C	If a Secondary Tracking Type of "XY" has been used in Field 1, enter Secondary Tracking Number Description in Field 3.	AN

Samples:

4D*AW^STN000001^^

4D*XY^STN000001^VENDOR RELEASE NUMBER^

Secondary Tracking Number Type Indicator Codes:

08 Carrier Assigned Package Identification Number

AW Air Waybill Number

BN Sealift Booking Number

CN PRO/Invoice Number

CY Truck Number/Commercial Registration Number

FI Port Call File Number

IZ Insured Parcel Post Number

K2 Certified Mail Number

K3 Registered Mail Number

WY Surface Waybill Number

XC Trailer Number/Cargo Control Number

XY Other Unlisted Transportation Number

ZH Express Mail Number

1.16 Discount Information (Line Number 5) – Skip this Line

1.17 Invoice Information (Line Number 6)

NOTES: There may be one instance of the Invoice Information per transaction for the Reparables Receiving Report.

Do not include information unless the Invoice already exists in iRAPT. If an Invoice is entered that does not exist in iRAPT, the Reparables Receiving Report will be processed and a message will be sent via e-mail stating that the Invoice referenced was not found in iRAPT and therefore not associated with the Reparables Receiving Report submitted.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Invoice Number	1/22	O	If this Field is entered on a Reparables Receiving Report then the Reparables Receiving Report will be related to the Invoice identified unless the Invoice does not exist in iRAPT. The Invoice Number will be converted to uppercase.	AN
	MOCAS	1/8	O		AN
	EBS	1/16	O		
2	Invoice Date	8/8	C	CCYYMMDD This Field is mandatory if an Invoice Number is entered.	DT
3	Final Invoice	1/1	C	Identifies if the Invoice is a Final Invoice. Enter a capitalized "Y" for Yes or "N" for No. This Field is used only if an Invoice Number is submitted in Field 1.	ID
4	Vendor's Invoice Number	N/A	NA	Not used.	N/A

Sample:

6*INV0001^20080803^Y^^ (Final)

6*INV0001^20080803^N^^ (Not Final)

1.18 Period of Performance (Line Number 7) - Skip this Line

1.19 Inspection & Acceptance Points (Line Number 8)

NOTE: There must be one instance of the Inspection and Acceptance Points information per transaction.

“Other” is not permitted on Reparables documents.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Inspection Point	1/1	M	Enter a capitalized “S” for Source or “D” for Destination.	ID
2	Acceptance Point	1/1	M	Enter a capitalized “S” for Source or “D” for Destination.	ID

Sample:

8*S^D^

1.20 Prime Contractor (Line Number 9)

NOTE: There must be one instance of the Prime Contractor information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Prime Contractor CAGE / DUNS/ DUNS+4	5/13	M	If not entered, this value will default to the Prime Contractor CAGE.	AN
2	Extension	1/6	C	This Field should only be used when the value has been registered in iRAPT by the prime contractor.	AN

Samples:

9*67580^^

9*67580^DET^

1.21 Prime Contractor Address Information (Line Number 9A)

NOTE: There may be one instance of the Prime Contractor Address Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Prime Contractor Activity	1/60	C		AN
2	Prime Contractor Activity	1/60	O		AN
3	Prime Contractor Activity	1/60	O		AN
4	Prime Contractor Address	1/55	C		AN
5	Prime Contractor Address	1/55	O		AN
6	Prime Contractor Address	1/55	O		AN
7	Prime Contractor Address	1/55	O		AN
8	Prime Contractor City	2/30	C		AN
9	Prime Contractor State/Province	2/2	C		AN
10	Prime Contractor Zip Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Prime Contractor Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

9A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

9A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

9A*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Prime Contractor and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (Not applicable).

1.22 Tax Identification Number (TIN) & Account Information (Line 9B) – Skip this Line

1.23 Payee Address Information (Line Number 9C) – Skip this Line

1.24 Contract Location Codes (Line Number 9D)**NOTE:** There must be one instance of this line per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	ACO DoDAAC	6/6	M		AN
2	ACO DoDAAC Extension	1/6	C		AN
3	PCO DoDAAC	6/6	M		AN
4	PCO DoDAAC Extension	1/6	C		AN
5	Contractor Program Manager CAGE/DUNS/DUNS+4	5/13	O		AN
6	Contract Program Manager Extension	1/6	C		AN
7	Government Program Manager DoDAAC	6/6	O		AN
8	Government Program Manager DoDAAC Extension	1/6	C		AN
9	Contractor Property Manager CAGE/DUNS/DUNS+4	5/13	O	If not entered, this value will be defaulted to the Property Shipper	AN
10	Contractor Property Manager Extension	1/6	C		AN
11	Government Property Administrator DoDAAC	6/6	O	If not entered, this value will be defaulted to the ACO.	AN
12	Government Property Administrator DoDAAC Extension	1/6	C		AN
13	Contractor Contract Administrator CAGE/DUNS/DUNS+4	5/13	O	If not entered, this value will be defaulted to the Property Shipper.	AN
14	Contractor Contract Administrator Extension	1/6	C		AN

Sample:

9D*S0512A^123456^N00383^123456^06184^123456^S0512C^123456^67580^DET^S0512B^
123456^67581^123456^

1.25 Gaining Contract Location Codes (Line Number 9E)

NOTE: There may be one instance of this line per transaction. Applies only if there is a Gaining contract. Used when Lines 1, Fields 5 or 5 and 6 are used.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Gaining ACO DoDAAC	6/6	O		AN
2	Gaining ACO DoDAAC Extension	1/6	C		AN
3	Gaining PCO DoDAAC	6/6	O		AN
4	Gaining PCO DoDAAC Extension	1/6	C		AN
5	Gaining Contractor Program Manager CAGE/DUNS/DUNS+4	5/13	O		AN
6	Gaining Contract Program Manager Extension	1/6	C		AN
7	Gaining Government Program Manager DoDAAC	6/6	O		AN
8	Gaining Government Program Manager DoDAAC Extension	1/6	C		AN
9	Gaining Contractor Property Manager CAGE/DUNS/DUNS+4	5/13	C	If not entered, this value will be defaulted to the Property Receiver if the Property Receiver is a CAGE.	AN
10	Gaining Contractor Property Manager Extension	1/6	C		AN
11	Gaining Government Property Administrator DoDAAC	6/6	O	If not entered, this value will be defaulted to the Gaining ACO	AN
12	Gaining Government Property Administrator DoDAAC Extension	1/6	C		AN
13	Gaining Contractor Contract Administrator CAGE/DUNS/DUNS+4	5/13	C	If not entered, this value will be defaulted to the Property Receiver if the Property Receiver is a CAGE.	AN
14	Gaining Contractor Contract Administrator Extension	1/6	C		AN

Sample:

9E*S0512A^123456^N00383^123456^06184^123456^S0512C^123456^67580^DET^S0512B^
123456^67581^123456^

1.26 Administration DoDAAC (Line Number 10)

NOTE: There must be one instance of the Administration Office DoDAAC Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Administration DoDAAC	6/6	M		AN

Sample:

10*S0512A^

1.27 Administration Address Information (Line Number 10A)

NOTE: There may be one instance of the Administration Address Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Administration Activity	1/60	C		AN
2	Administration Activity	1/60	O		AN
3	Administration Activity	1/60	O		AN
4	Administration Address	1/55	C		AN
5	Administration Address	1/55	O		AN
6	Administration Address	1/55	O		AN
7	Administration Address	1/55	O		AN
8	Administration City	2/30	C		AN
9	Administration State/Province	2/2	C		AN
10	Administration ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Administration Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

10A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

10A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

10A*51st Activity Company^^^Camp David^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Administration Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (Not applicable).

1.28 Inspect By DoDAAC (Line Number 10B)

NOTES: There may be one instance of the Inspect By DoDAAC information per transaction.

If the document is a Source Inspection Reparables Receiving Report, ILSMIS DoDAACs are prohibited from being used.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Inspect by DoDAAC	6/6	C	If the Inspection Point in Line 8, Field 1, is "S," then this Field is required. Otherwise, this Field is optional.	AN
2	Inspect by Extension	1/6	C	If Inspect By DoDAAC was not entered, then this Field must be left blank. If Inspect By DoDAAC is entered, then this Field is optional.	AN

Sample:

10B*S0512A^1234^

1.29 Inspect By Address Information (Line Number 10C)

NOTES: There may be one instance of the Inspect By Address Information per transaction.

The following Fields must be blank if Inspect By DoDAAC in Line Number 10B, Field 1, is not entered. The following Fields are optional if the Inspect By DoDAAC in Line Number 10B, Field 1 is entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Inspect By Activity	1/60	C		AN
2	Inspect By Activity	1/60	O		AN
3	Inspect By Activity	1/60	O		AN
4	Inspect By Address	1/55	C		AN
5	Inspect By Address	1/55	O		AN
6	Inspect By Address	1/55	O		AN
7	Inspect By Address	1/55	O		AN
8	Inspect By City	2/30	C		AN
9	Inspect By State/Province	2/2	C		AN
10	Inspect By ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Inspect By Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

10C*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

10C*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

10C*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Inspect By Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (Not applicable).

1.30 Ship From CAGE / DoDAAC & FOB (Line Number 11)

NOTES: There must be one instance of Line 11 with FOB in Field 3 if Line 3, Field 1 is "SPL". There must be one instance of Line 11, Field 3 (FOB) per transaction except when MOCAS paid and/or DCMA Administered, and Line 3 Field 1 = "SVC". Fields 1 & 2 may also be used if needed. Field 1 is not required unless it differs from the Prime Contractor CAGE in Line 9.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Ship From CAGE / DUNS/DUNS+4/ DoDAAC	5/13	O	If Ship From does not differ from the contractor's Prime CAGE Code in Line 9, then this Field may be blank.	AN
2	Ship From Extension	1/6	C	If Ship From was not entered, then this Field must be left blank. If Ship From is entered, then this Field is optional.	AN
3	FOB MOCAS and/or DCMA administered MOCAS	1/1	C	Enter a capitalized "S" for Source or "D" for Destination. If "SVC" (services) is selected in Line 3, then this Field is not used. If "SPL" (supplies) is selected in Line 3, then this Field is mandatory.	ID

Sample:

11*06481^^S^

1.31 Ship From Address Information (Line Number 11A)

NOTES: There may be one instance of the Ship From Address Information per transaction.

This Line can ONLY be used if Ship From CAGE/DoDAAC and Freight On Board (FOB) in Line Number 11, Field 1 is entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Ship From Activity	1/60	C		AN
2	Ship From Activity	1/60	O		AN
3	Ship From Activity	1/60	O		AN
4	Ship From Address	1/55	C		AN
5	Ship From Address	1/55	O		AN
6	Ship From Address	1/55	O		AN
7	Ship From Address	1/55	O		AN
8	Ship From City	2/30	C		AN
9	Ship From State/Province	2/2	C		AN
10	Ship From ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Ship From Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

11A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

11A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

11A*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered then the full name of the Ship From Activity and Address must be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (Not applicable).

1.32 Property Ship From CAGE/DoDAAC (Line Number 11B)

NOTES: There may be one instance of the Property Ship From per transaction.

If Property Ship From Location Code is not entered, it will be defaulted to the Prime Contractor CAGE.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Property Ship From CAGE / DUNS/DUNS+4/ DoDAAC/ Contractor DoDAAC	5/13	M		AN
2	Property Ship From Extension	1/6	C	If Property Ship From is used, then this Field is optional.	AN

Sample:

11B*N64100^EXT3^

1.33 Property Ship From Address Information (Line Number 11C)

NOTES: There may be one instance of the Property Ship From Address Information per transaction.

The following Fields must be blank if Property Ship From CAGE/DoDAAC in Line Number 11B, Field 1 is not entered. The following Fields are optional if the Ship From CAGE/DoDAAC in Line Number 11B, Field 1 is entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Property Ship From Activity	1/60	C		AN
2	Property Ship From Activity	1/60	O		AN
3	Property Ship From Activity	1/60	O		AN
4	Property Ship From Address	1/55	C		AN
5	Property Ship From Address	1/55	O		AN
6	Property Ship From Address	1/55	O		AN
7	Property Ship From Address	1/55	O		AN
8	Property Ship From City	2/30	C		AN
9	Property Ship From State/Province	2/2	C		AN
10	Property Ship From ZIP	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Property Ship From Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

11C*ABC COMPANY^^^123 Main St^^^^Orlando^FL^32043^^^^

Non-U.S. Address

11C*FCC Company^^^123 Main St^^^^Bedford^NS^B4B 1G9^CN^^^^

U.S. Military Address

11C*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Property Ship From Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other Fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other Fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other Fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (not applicable).

1.34 Payment Office DoDAAC (Line Number 12)

NOTES: There must be one instance of the Payment Office DoDAAC information per transaction.

For Payment Office DoDAAC list, please refer to the iRAPT Website (Click: Display Pay DoDAAC Table) for Defense Finance and Accounting Service (DFAS) Specific Payment System Information.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Payment Office DoDAAC	6/6	M	If Pay DoDAAC is MOCAS then the Administration DoDAAC, Line 10, must be a DCMA activity.	AN

Sample:

12*HQ0337^

1.35 Payment Office Address Information (Line Number 12A)

NOTES: There may be one instance of the Payment Office Address Information per transaction.

The following Fields are optional if the Payment Office DoDAAC in Line Number 12, Field 1 is entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Payment Office Activity	1/60	C		AN
2	Payment Office Activity	1/60	O		AN
3	Payment Office Activity	1/60	O		AN
4	Payment Office Address	1/55	C		AN
5	Payment Office Address	1/55	O		AN
6	Payment Office Address	1/55	O		AN
7	Payment Office Address	1/55	O		AN
8	Payment Office City	2/30	C		AN
9	Payment Office State/Province	2/2	C		AN
10	Payment Office ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Payment Office Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

12A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

12A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

12A*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Payment Office Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (Not applicable).

1.36 Ship To CAGE / DoDAAC (Line Number 13)

NOTE: There must be one instance of the Ship To CAGE / DoDAAC information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Ship To CAGE / DUNS/DUNS+4/ DoDAAC/ Contractor DoDAAC	5/13	M	If Inspection Point in Line 8, Field 1, is "S" and Acceptance Point in Line 8, Field 2, is "S," then CAGE/DUNS/DUNS+4/Contractor DoDAAC is permitted. Otherwise, this must be a Government DoDAAC.	AN
2	Ship To Extension	1/6	C	If Ship To is used, then this Field is optional.	AN

Sample:

13*W45G19^^

Notes:

- Ship To CAGE/DoDAAC may be a CAGE/DUNS/DUNS+4/Contractor DoDAAC only if the Inspection and Acceptance points in the contract are Source/Source.
- When Line 3, Field 1 is marked "SVC" (services), then the Ship To DoDAAC for Source Acceptance should be the DoDAAC or a CAGE/DUNS/DUNS+4 where the service is performed. For Destination Acceptance, the DoDAAC is the Acceptor.
- DSS Acquisition Ship To is not allowed on Reparables.

1.37 Ship To Address Information (Line Number 13A)

NOTES: There may be one instance of the Ship To Address Information per transaction.

The following Fields must be blank if Ship To CAGE/DoDAAC in Line 13, Field 1, is not entered. The following Fields are optional if the Ship To CAGE/DoDAAC in Line 11, Field 1, is entered.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Ship To Activity	1/60	C		AN
2	Ship To Activity	1/60	O		AN
3	Ship To Activity	1/60	O		AN
4	Ship To Address	1/55	C		AN
5	Ship To Address	1/55	O		AN
6	Ship To Address	1/55	O		AN
7	Ship To Address	1/55	O		AN
8	Ship To City	2/30	C		AN
9	Ship To State/Province	2/2	C		AN
10	Ship To ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Ship To Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

13A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

13A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

13A*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Ship To Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (Not applicable).

1.38 Local Processing Office DoDAAC (Line Number 13B)

NOTE: There may be one instance of the Local Processing Office DoDAAC Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Local Processing Office DoDAAC One Pay MOCAS, EBS, Navy ERP	6/6 6/6 N/A	O M N/A	Not used.	AN
2	Local Processing Office Extension	1/6	C	If Local Processing Office DoDAAC was not entered, then this Field must be left blank. If Local Processing Office DoDAAC is entered, then this Field is optional.	AN

Sample:

13B*N00421^^

1.39 Local Processing Office Address Information (Line Number 13C)

NOTE: There may be one instance of the Local Processing Office Address Information per transaction.

The following Fields must be blank if Local Processing Office DoDAAC (Line Number 13B, Field 1) is not entered. The following Fields are optional if the Local Processing Office DoDAAC in Line Number 13B, Field 1 is entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Local Processing Office Activity	1/60	C		AN
2	Local Processing Office Activity	1/60	O		AN
3	Local Processing Office Activity	1/60	O		AN
4	Local Processing Office Address	1/55	C		AN
5	Local Processing Office Address	1/55	O		AN
6	Local Processing Office Address	1/55	O		AN
7	Local Processing Office Address	1/55	O		AN
8	Local Processing Office City	2/30	C		AN
9	Local Processing Office State/Province	2/2	C		AN
10	Local Processing Office ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Local Processing Office Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

13C*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

13C*FCC Company^^^123 Main St^^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

13C*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the LPO Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (not applicable).

1.40 Accept By DoDAAC (Line Number 13D) – Skip this Line

1.41 Accept By Office Address Information (Line Number 13E) – Skip this Line

1.42 Property Ship To (Line Number 13F)

NOTE: There may be one instance of Property Ship To.

If Property Ship To is not entered, it will be default to the Property Receiver Location Code.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Property Ship To CAGE/DUNS/DUNS+4 / DoDAAC/ Contractor DoDAAC	5/13	M		AN
2	Property Ship To Extension	1/6	C	This Field must be left blank if Property Ship To CAGE/DoDAAC was not entered or if a CAGE was entered. This Field is optional if Property Ship To DoDAAC is entered.	AN

Sample:

13F*26512^EXT01^

1.43 Property Ship To Address Information (Line Number 13G)

NOTE: There may be one instance of the Property Ship To Address Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Property Ship To Activity	1/60	C		AN
2	Property Ship To Activity	1/60	O		AN
3	Property Ship To Activity	1/60	O		AN
4	Property Ship To Address	1/55	C		AN
5	Property Ship To Address	1/55	O		AN
6	Property Ship To Address	1/55	O		AN
7	Property Ship To Address	1/55	O		AN
8	Property Ship To City	2/30	C		AN
9	Property Ship To State/Province	2/2	C		AN
10	Property Ship To ZIP	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Property Ship To Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

13G*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

13G*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

13G*51st Activity Company^^^Camp David^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Property Ship To and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other Fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other Fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other Fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (not applicable).

1.44 Property Receiver (Line Number 13H)

NOTE: There may be one instance of Property Receiver.

If Property Receiver is not entered, it will be defaulted to the Ship To location.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Property Receiver CAGE/DUNS/DUNS+4 /DoDAAC/ Contractor DoDAAC	5/13	M		AN
2	Property Receiver Extension	1/6	C	This Field must be left blank if Property Receiver CAGE/DoDAAC was not entered or if a CAGE was entered. This Field is optional if Property Receiver DoDAAC is entered.	AN

Sample:

13H*26512^EXT01^

1.45 Property Receiver Address Information (Line Number 13I)

NOTE: There may be one instance of the Property Receiver Address Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Property Receiver Activity	1/60	C		AN
2	Property Receiver Activity	1/60	O		AN
3	Property Receiver Activity	1/60	O		AN
4	Property Receiver Address	1/55	C		AN
5	Property Receiver Address	1/55	O		AN
6	Property Receiver Address	1/55	O		AN
7	Property Receiver Address	1/55	O		AN
8	Property Receiver City	2/30	C		AN
9	Property Receiver State/Province	2/2	C		AN
10	Property Receiver ZIP	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Property Receiver Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

13I*ABC COMPANY^^^123 Main St^^^^Orlando^FL^32043^^^^

Non-U.S. Address

13I*FCC Company^^^123 Main St^^^^Bedford^NS^B4B 1G9^CN^^^^

U.S. Military Address

13I*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Property Receiver and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other Fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other Fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other Fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (not applicable).

1.46 Mark For Delivery CAGE/DoDAAC (Line Number 14)

NOTE: There may be one instance of the Mark For Delivery CAGE/DoDAAC.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery CAGE/ DUNS/DUNS+4/ DoDAAC	5/13	O		AN
2	Mark For Delivery Extension	1/6	C	This Field must be left blank if Mark For Delivery CAGE/DoDAAC was not entered or if a CAGE was entered. This Field is optional if Mark For Delivery DoDAAC is entered.	AN
3	Mark For Delivery Representative	N/A	N/A	Not used.	N/A

Sample:

14*N00383^^^

1.47 Mark For Delivery Address Information (Line Number 14A)

NOTES: There may be one instance of the Mark For Delivery Address Information per transaction.

The following Fields must be blank if Mark For Delivery CAGE/DoDAAC (Line Number 14, Field 1) is not entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery Activity	1/60	C		AN
2	Mark For Delivery Activity	1/60	O		AN
3	Mark For Delivery Activity	1/60	O		AN
4	Mark For Delivery Address	1/55	C		AN
5	Mark For Delivery Address	1/55	O		AN
6	Mark For Delivery Address	1/55	O		AN
7	Mark For Delivery Address	1/55	O		AN
8	Mark For Delivery City	2/30	C		AN
9	Mark For State/Province	2/2	C		AN
10	Mark For ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Mark For Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO) "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

14A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

14A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

14A*51st Activity Company^^^Camp David^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Mark For Delivery Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (not applicable).

1.48 Mark For Delivery Comments (Line Number 14B)

NOTE: There may be one to 25 instances of the Mark For Delivery Comments per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery Comments	1/75	O		AN

Sample:

14B*Ready to be reviewed^

1.49 Mark For Delivery Secondary Comments (Line Number 14C)

NOTE: There may be one to 25 instances of the Mark For Delivery Secondary Comments per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery Secondary Comments	1/75	O		AN

Sample:

14C*Ready to be reviewed again^

1.50 Line Item Information (Line Number 15)

LOOP ID: Line Number 15 – Loop 1 - 999 times Line Item

NOTES: There must be one instance of this Line Number per transaction. Up to 999 instances may be used.

Total monetary value of all Loops cannot exceed 10 billion. The total amount for each Line Item is determined by multiplying the Quantity Shipped by the Unit Price.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Line Item	4/6	M	This Field must contain a CLIN/SLIN/ELIN. If a CLIN/SLIN/ELIN is submitted in lowercase characters, then they will be converted to uppercase. The letters "I" and "O" may not be used within the Line Item Number.	AN/ID
	IAPS-E, CAPS-C/W	4 or 6	M	4 AN or 6 AN	
	MOCAS	4 or 6	M	4N, 4N2A, 1A3AN, "NONE" or "NONE"NN	
	EBS	4 or 6	M	4 N or 4 N PLUS 2 A	
	One Pay	4 or 6	M	4 N or 4 N PLUS 2 A (only CLIN/SLIN allowed)	
	Navy ERP	4 or 6	M	CLIN (4N), SLIN (4N + 2AN) or ELIN (1A + 3AN)	
2	Line Item Type	1/1	M	Always use "1"	ID
3	GFE/P	1/1	O	Enter a capitalized "Y" for Yes or "N" for No. If left blank, will default to "N." If the item is shipped in place and GFE/P has been included or incorporated in the end item, then enter a capitalized "Y," and on Line 17, Field 2, enter a Ship Advice Code of "G," which must be a capitalized. If the item is shipped in place and GFE/P has not been incorporated into the end item, then enter a capitalized "N" and on Line 17, Field 2, enter a Ship Advice Code of "G," which must be capitalized. GFE is not allowed on an ELIN that contains a CDRL. If the CDRL Indicator (Line Number 15B, Field 1) is "Y", then GFE is prohibited and will be ignored.	ID
	MOCAS and/or			If "SVC" (services) is selected in Line 3,	

	DCMA administered			then this field is not used.	
--	----------------------	--	--	------------------------------	--

Samples:

15*0001^1^N^ (CLIN)

15*0001AA^1^N^ (SLIN)

15*A001^1^N^ (ELIN)

1.51 CDRL Information (Line Number 15B)

NOTES: There may be one instance of this line per line item loop.

GFE is not allowed on an ELIN that contains a CDRL. A line item with UIIs cannot have CDRL attachments. If the CDRL Indicator (Line Number 15B, Field 1) is "Y", then GFE is prohibited and will be ignored

If this line is used to identify a CDRL attachment, Lines 15 (ELIN) and 15C (SYSUID) must be used. "CDRL" must also be used in Line 16, Field 1 with "SV" for Services in Field 2; "1" in Line 17, Field 1 and "EA" in Line 18, Field 1.

CDRLs are not allowed for One Pay or EBS.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	CDRL Indicator	1/1	O	Values may be "Y" or "N". If left blank, it will be defaulted to "N".	AN
2	Attachment Name	3/22	C	<p>If the CDRL Indicator in Field 1 is "Y", then this field is mandatory. This Field will contain the name of the file to be attached to the document. File names must be unique. If a file name is sent that already exists, then the existing file will be overwritten. If the same file must be attached to multiple documents, then vary the file name slightly for each Attachment.</p> <p>iRAPT will accept the following types of attachments:</p> <p>BMP: Bitmap</p> <p>DOC: Microsoft Word Application</p> <p>HTM: Hypertext Markup</p> <p>HTML: Hypertext Markup Language</p> <p>JPG: Joint Photographic Exerts Group Format</p> <p>MSG: Microsoft Outlook Application</p> <p>PDF: Adobe Acrobat Portable Document Format</p> <p>PPT: Microsoft PowerPoint Application</p> <p>RTF: Rich Text Format</p> <p>TIF: Tagged Image File Format</p> <p>TXT: Plain text format</p>	AN

				XLS: Microsoft Excel Application	
				XML: Extensible Markup Language	

Samples:

15B*Y^Drawing.bmp^

15B*N^^

Notes:

- The naming convention for attachments is as follows: Dashes and underscores may be used in the file name. No spaces are allowed in the file name.
- The document is case sensitive and must exactly match the name of the attachment being sent.
- The attachment must be submitted prior to the submission of the transaction. If multiple attachments are submitted, they must have unique names.
- If for any reason the original transaction with an attachment fails import to iRAPT, the attachments must be resubmitted as well as the transaction.
- A single attachment file may not exceed 5 megabytes.

1.52 SYSUID Information (Line Number 15C)

NOTES: There may be a maximum of two instances of this line per line item loop. (ELIN associated with a CDRL).

If this line is used to identify a CDRL attachment, Lines 15 (ELIN) and 15B (Attachment) must be used. "CDRL" must also be used in Line 16, Field 1 with "SV" for Services in Field 2; "1" in Line 17, Field 1 and "EA" in Line 18, Field 1.

CDRLs are not allowed for One Pay or EBS.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	SYSUID	10/10	C	<p>If the CDRL Indicator in Line 15B, Field 1 is "Y", then SYSUID is mandatory. This Field is an identifier for the system that is to receive the CDRL.</p> <p>This value is identified in the contract as part of the CDRL requirement. iRAPT will reject an invalid SYSUID. Instructions to the user will be provided to contact the contracting officer or the ACO.</p>	AN

Sample:

15C*9999FU4417^

1.53 Purchase Request Number (Line Number 15F)

NOTES: There may one instance of this line per line item loop.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Purchase Request Number	1/30	O		AN

Sample:

15F*PRN0001^

1.54 Type Designation (Line Number 15G)

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Type Designation Method	1/1	C	This field is required if Field 2 is entered.	ID
2	Type Designation Value	1/100	C	This field is required if Field 1 is entered. Please refer to the "Type Designation Value Validations" document maintained under the "Documentation" - > "Supporting Documentation" tab on the iRAPT website.	AN

Sample:

15G*A^XJ100-AA-100Z^

Type Designation Method Codes

- A AEROSPACE ENGINES, AIRBREATHING (MIL-HDBK-1812)
- B AEROSPACE ENGINES, NON-AIRBREATHING (MIL-HDBK-1812)
- C AEROSPACE EQUIPMENT AND SUPPORT EQUIPMENT (MIL-HDBK-1812)
- D ARMY NOMENCLATURE SYSTEM (MIL-STD-1464A)
- E GROUPS AND UNITS (MIL-HDBK-1812)
- F JOINT ELECTRONICS TYPE DESIGNATION SYSTEM ("A/N") (MIL-STD-196E)
- G NAVAL VESSEL REGISTRATION SYSTEM (SECNAV INSTRUCTION 5030.8)
- H NAVY MARK/MOD NOMENCLATURE SYSTEM (MIL-STD-1661)
- I PHOTOGRAPHIC EQUIPMENT (MIL-HDBK-1812)
- J U.S. MILITARY AEROSPACE VEHICLE DESIGNATION - AIRCRAFT (DOD DIRECTIVE 4120.15)
- K U.S. MILITARY AEROSPACE VEHICLE DESIGNATION - MISSILES, ROCKETS, PROBES AND SATELLITES (DOD DIRECTIVE 4120.15)

1.55 Line Level Supply Condition Code (Line Number 15H)

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables COMBO</i>	<i>Notes</i>	<i>Type</i>
1	Supply Condition Code	1/1	O	Enter the Line Level Supply Condition Code.	ID

Sample:
15H*A^

Field 1– Supply Condition Codes

- A Serviceable (Issuable Without Qualification)
- B Serviceable (Issuable With Qualification)
- C Serviceable (Priority Issue)
- D Serviceable (Test/Modification)
- E Unserviceable (Limited Restoration)
- F Unserviceable (Reparable)
- G Unserviceable (Incomplete)
- H Unserviceable (Condemned)
- J Suspended (In Stock)
- K Suspended (Returns)
- L Suspended (Litigation)
- M Suspended (In Work)
- N Suspended (Ammunition Suitable For Emergency Combat Use Only)
- P Unserviceable (Reclamation)
- Q Suspended (Product Quality Deficiency)
- R Suspended (Reclaimed Items, Awaiting Condition Determination)
- S Unserviceable (Scrap)
- V Unserviceable (Waste Military Munitions)

Notes:

When a Supply Condition Code is entered at the Line Item Level, that Supply Condition Code will automatically be populated to all UIDs and Item Serial Numbers on that Line Item. If a

Supply Condition Code is also entered at the UID or Item Serial Number Level, that condition code will take precedence over the code at the Line Item Level.

1.56 Product/Service Information (Line Number 16)**LOOP ID:** Line Number 15

NOTES: There may be up to 15 instances of the Product/Service Information line per Line Item Loop.

If an NSN is available, use “FS” in Field 2 and the associated number in Field (Field 1).

If you do not have an NSN, but you have other pertinent information associated with any other codes for the shipment, then enter that information (e.g. “CL” entered in Field 2) and the pertinent color/information (e.g., blue or yellow, etc.) in Field 1.

If an NSN or other pertinent information is not associated with the shipment, use any code other than “FS” in Field 2 with the word “NONE” in Field 1.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Product/Service ID	1/48	M	<p>If “FS” is used in Field 2, then Product/Service ID must 13 numeric characters.</p> <p>If “N4” is used in Field 2, then Product/Service ID must be numeric.</p> <p>CDRL – If Line 15B, Field 1 (CDRL Indicator) is “Y”, then leave this field blank. If a value is entered, it will be ignored and defaulted to “CDRL”.</p>	AN
	MOCAS and/or DCMA Administered	1/32	M	<p>If “SVC” (services) is selected in Line 3, then the Product/Service ID must be “SERVICES” and the Product/Service ID Qualifier must be “SV” for Services.</p>	
2	Product/Service ID Qualifier	2/2	M	<p>Please refer to the Product/Service ID Qualifier Codes table maintained under the "Lookup" tab on the iRAPT website.</p> <p>Codes must be capitalized.</p> <p>CDRL – If Line 15B, Field 1 (CDRL Indicator) is “Y”, then leave this field blank. If a value is entered in this Field, iRAPT will ignore.</p>	ID
	MOCAS and/or DCMA administered			<p>If “SPL” (supplies) is selected in Line 3, then the Product/Service ID Qualifier “SV” for Services is not allowed.</p>	
	EBS	2/2	M	<p>Only codes FS, IB, MG, N4, SW, UK, UX, VC and VP are allowed for the EBS Payment System.</p>	

Sample:

16*2366AB32^FT^

1.57 Line Item Description (Line Number 16A)**LOOP ID:** Line Number - 15

NOTES: There must be one instance of the Line Item Description per Line Item Loop and up to 25 instances may be used.

If Line item Descriptions exceed 25 instances, additional data may be provided via an attachment (Lines 25/26)

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Description	1/75	M		AN

Sample:

16A *pound claw hammer-rubber grip^

1.58 ACRN, SDN, & Line Level AAA (Line Number 16B)**LOOP ID:** Line Number 15**NOTES:** There may be one instance of the ACRN and SDN per Line Item Loop.

Use Line 16B to report single ACRNs at the line item level.

For reporting multiple ACRNs and Price Information, use Line 16G instead. If Line 16G, Field 1 is used, then Line 16B, Field 1 is not allowed. If Line 16B, Field 1 is used, then Line 16G, Field 1 is not allowed.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	ACRN One Pay	2/2 N/A	O N/A	The ACRN is converted to uppercase. Not used for One Pay. Report single and multiple ACRNs on Line 16G instead.	AN
2	SDN One Pay	1/30 13/15	O	The SDN is not converted to uppercase. Standard Document Number (SDN) must be 13, 14 or 15 alphanumeric characters for One Pay when AAI is not found in the DOD AAI table. Standard Document Number (SDN) must be 9, 13, 14 or 15 alphanumeric characters for One Pay when AAI is found in the DOD AAI table.	AN
3	AAA	6/6	O		AN

Sample:

16B*AA^V44890721BP08^067443^

1.59 MILSTRIP Information (Line Number 16C)**LOOP ID:** Line Number – 15

NOTE: There may be multiple instances of the MILSTRIP Information per Line Item Loop. If MILSTRIP Information is entered, the sum of the quantities entered in Field 2 must be equal to the Quantity Shipped - Line 17, Field 1. Therefore, it may be necessary to include a Field 1 entry with “NONE” and the remaining associated quantity in Field 2. This will accommodate a schedule within the same Line Item that does not have an associated MILSTRIP Number, and balance the Line Item Quantity entry.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	MILSTRIP Number MOCAS	1/15 14/15	O O	This Field is optional. MILSTRIP must be 14 or 15 characters, alphanumeric. The entry of NONE (capitalized) is allowed to cover the requirement to balance quantities with Number of Items Repaired in Line 17, Field 3. If MILSTRIPs are sent in lowercase characters, then they will be converted to uppercase.	AN
2	MILSTRIP Quantity MOCAS, One Pay EBS	1/11 1/8 1/11	C C C	If the MILSTRIP Number is entered, then this Field is mandatory. The total quantity of all MILSTRIPS entered per Line Item, must equal the Quantity Shipped value for the Line Item. Quantity must not include decimals. If a MILSTRIP number is entered, then a MILSTRIP Quantity is required. If decimals are submitted, there may be 8 to the left and 2 to the right of the decimal, or 7 to the left and 3 to the right of the decimal. If DSS or DMLSS Ship To, Quantity must be a whole number with maximum field size of 10.	R8.2 N R8.2 or R7.3

Sample:

16C*M6700142752354^12^

Notes:

- Duplicate MILSTRIPs are not allowed for Line Items.

- “NONE” can only be sent as a MILSTRIP once per Line Item and “NONE” cannot be the only MILSTRIP for a Line Item.
- MILSTRIPs are only allowed for CLIN/SLIN type Line Items (Line 15, Field 2 =1).
- If MOCAS paid or DCMA administered and “SVC” (services) is selected in Line 3, then MILSTRIP data is not used.

1.60 Unique Identifier Header Information (UID) (Line Number 16D)**LOOP ID:** Line Number 15**NOTES:** There may be one or more instances of this Line per Line Item (Line 15).

If this Line is used, at least one Line Number 16F is required.

16D through F represents a Loop and can be repeated as many times as necessary.
Duplicate UIDs per document will not be allowed.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Not Used	N/A	N/A	Not used.	N/A
2	Issuing Agency Code (IAC)	N/A	N/A	Not used.	N/A
3	Enterprise Identifier (EID)	N/A	N/A	Not used.	N/A
4	Original Part Number	N/A	N/A	Not used.	N/A
5	Batch & Lot Number	N/A	N/A	Not used.	N/A
6	Unit Price	N/A	N/A	Not used.	N/A
7	Unit of Measure	N/A	N/A	Not used.	N/A
8	Miscellaneous	N/A	N/A	Not used.	N/A
9	Current Part Number	N/A	N/A	Not used.	N/A
10	Current Part Number Cost	N/A	N/A	Not used.	N/A
11	Current Part Number Effective Date	N/A	N/A	Not used.	N/A
12	Original Manufacturer's Code	N/A	N/A	Not used.	N/A
13	Original Manufacturer's ID	N/A	N/A	Not used.	N/A
14	Warranty Indicator	N/A	N/A	Not used.	N/A
15	Not Used	N/A	N/A	Not used.	N/A

16	Special Tooling/ Special Test Equipment	2/3	O	ST – Special Tooling STE – Special Test Equipment NS - Neither If this field is not entered, it will be defaulted to NS (Neither)	AN
----	--	-----	---	--	----

Sample:

16D*^^^^^^^^^^^^^^^^^^ST^

1.61 Unique Identifier Description Information (UID) (Line Number 16E) – Skip this Line

1.62 Unique Identifier Detail Information (UID) (Line Number 16F)**LOOP ID:** Line Number - 15

NOTES: There may be one or more instances of Line 16F per transaction. The Line may repeat as many times as necessary.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	UID – Unique Identifier	1/50	O	The Unique Identifier that ensures uniqueness of items that are listed in the DoD UID Registry. See Unique Identifier section below for UID Type Edits.	AN
2	UID – Serial Number	N/A	N/A	Not used.	N/A
3	Not used.	N/A	N/A	Not used.	N/A
4	Supply Condition Code	1/1	O	Enter the UII level Supply Condition Code.	AN

Sample:

16F*D13499BCDEF979879880^^^A^

Field 4 – Supply Condition Codes

- A Serviceable (Issuable Without Qualification)
- B Serviceable (Issuable With Qualification)
- C Serviceable (Priority Issue)
- D Serviceable (Test/Modification)
- E Unserviceable (Limited Restoration)
- F Unserviceable (Reparable)
- G Unserviceable (Incomplete)
- H Unserviceable (Condemned)
- J Suspended (In Stock)
- K Suspended (Returns)
- L Suspended (Litigation)
- M Suspended (In Work)
- N Suspended (Ammunition Suitable For Emergency Combat Use Only)

P	Unserviceable (Reclamation)
Q	Suspended (Product Quality Deficiency)
R	Suspended (Reclaimed Items, Awaiting Condition Determination)
S	Unserviceable (Scrap)
V	Unserviceable (Waste Military Munitions)

Notes:

- When UIDs are provided, the number of UIDs must balance to the Number of Items Repaired reported in Line 17, Field 3.
- If MOCAS paid or DCMA administered and “SVC” (services) is entered in Line 3, then UID data is not used.

<i>Metadata Requirements</i>
The UID may only contain uppercase English alphabet characters A – Z, no spaces allowed.
The UID may only contain numeric characters 0-9.

1.63 Multiple ACRN & Price Information (Line Number 16G)**LOOP ID:** Line Number - 15

NOTES: There may be one or more instances of the ACRN and price information per Line Item Loop.

Use Line 16G to report multiple ACRNs and Price Information. For One Pay, use Line 16G to report single and multiple ACRNs. Use Line 16B to report single ACRNs.

If Line 16G is used for the submission of multiple ACRNs and the Price Information, then usage of Field 1 on Line 16B is not allowed.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	ACRN	2/2	C		AN
2	ACRN Price	1/14	O	Negative amount allowed. This Field is affected by currency code. See notes below.	R10.2
	One Pay		C	If ACRN is entered in Field 1, then this Field is Mandatory.	

Samples:

16G*AA^500^

16G*AB^-300^

Notes:

- The ACRN amount total must balance with the Line Item total of the document.
- An ELIN can have only a single ACRN. The document will reject if an ELIN has multiple ACRNs
- For One Pay, ACRN amount must be between -999,999,999.99 and 999,999,999.99 and can only contain up to 2 digits to the right of the decimal. For all other pay systems, ACRN amount must be between -9,999,999,999.99 and 9,999,999,999.99 and can only contain up to 2 digits to the right of the decimal.

Field 2 – ACRN Price

- Minimum/Maximum allowable field sizes for all monetary fields other than Unit Price will be affected when using foreign currencies.
- The system will pad zeroes to right of the decimal point up to the number of digits allowed for a Currency Code.
- The system will drop zeroes to the right of the decimal point if they exceed the number of digits allowed for a Currency Code.
- If a non-zero number is given to the right of the maximum number of allowable decimal places as specified by the Currency Code, an error will be given.
- For currencies that allow more than 2 positions to the right of the decimal, the number of digits that may be entered left of the decimal point will be decreased to accommodate the extra digits allowed past the decimal. For instance, a monetary field that allows a maximum field size of 8.2 would allow a maximum field size of 7.3 when using a foreign currency that allows 3 decimal positions.
- For currencies that allow less than 2 positions to the right of the decimal, the number of digits that may be entered left of the decimal point will remain unchanged.

1.64 Chargeable Fiscal Year (Line Number 16H) – Skip This Line

1.65 ACRN Level Long Line of Accounting Data (Line Number 16I) – Skip this line.

1.66 Reference Shipment Numbers & Amounts – ACRN Level (Line Number 16J) Skip this line.

1.67 Transportation Indicator (Line Number 16K) – Skip This Line

1.68 Multi-Box Pack Indicator (Line Number 16L)**LOOP ID:** Line Number - 15

NOTES: There may be one Multi-Box Pack Indicator per Line Item in the Line Item Loop. If Line 16L is not submitted, then iRAPT will default to "N" for each line item if not entered.

Multi-Box Pack capability is to be used when packing one unit (consisting of multiple components) in several containers, each with its own unique RFID Package ID.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Multi-Box Pack Indicator	1/1	O	<p>This field at the Line item level indicates a Multi-Box Pack.</p> <p>Valid values are "Y" for yes or "N" for no.</p> <p>If "Y" is used, and no UII's are identified, Lines 28 (RFID) and 29 (packed CLIN and quantity) will be used to identify the associated multi-pack data.</p> <p>If "Y" is used, and UII's are identified/included, Lines 28 (RFID) 29 (packed CLIN and quantity) and 30 (UII and Mark Indicator ="Y") will be used with only one Mark Indicator to be used per a unique UII.</p> <p>Line 16L needs to be used in conjunction with Lines 28 & 29. Also, use Line 30 if UIIs are identified.</p>	AN

Samples:

16L*Y^ (If a Multi-Box Pack)

16L*N^ (If not a Multi-Box Pack)

Note:

The Multi-Box Pack indicator will be defaulted to "N" if a value is not entered.

1.69 Embedded UIIs/UID (Line Number 16M)

LOOP ID: Line Number - 15 (Use Lines 16M, 16N and 16O to report Embedded UII information)

NOTE: This Line may be used to report Embedded UIIs. If this Line is used, at least one Line Number 16F is required. Line Numbers 16D through F represent a Loop for UID and can be repeated as many times as necessary. Only 100 Embedded UIIs per Parent UII are allowed regardless of the number of UII headers (Line 16D).

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	UID Type	3/4	M	<p>UID1, UID2, ESN, GIAI, GRAI or VIN</p> <p>UID1 (Unique ID Construct 1,Serialization within the Enterprise)</p> <p>UID2 (Unique ID Construct 2, Serialization within the Original Part Number)</p> <p>ESN (Telecomm. Industry Assoc. Electronic Serial Number, for cellular telephone only)</p> <p>GIAI (Global Item Asset Identification)</p> <p>GRAI (Global Returnable Asset Identifier)</p> <p>VIN (Vehicle Identification Number)</p> <p>Follow rules below for UID type entered:</p> <p>If UID1 is entered, then the UID Construct1 format must be followed. This format requires that an IAC, EID in Line 16D, and a UID in Line 16F, Field 1, with a Serial Number in Line 16F, Field 2, be entered.</p> <p>If UID2 is entered, then the UID Construct 2 format must be followed. This format requires that an IAC, EID, and Original Part Number or Batch/Lot Number in Line 16D, and UID in Line 16F, Field 1, with a Serial Number in Line 16F, Field 2, be entered.</p> <p>If ESN, GIAI, GRAI or VIN is entered then IAC and EID are optional in Line 16D. However, the UID in Line 16F, Field 1, is required.</p> <p>Available when Embedded UII Classification is Non-GFP</p>	AN
2	Issuing Agency Code	1/2	M	<p>IAC is required if UID Type (Field 1) is UID1 or UID2.</p> <p>D CAGE</p> <p>LD DoDAAC</p>	AN

				<p>LB ANSI T1.220</p> <p>UN DUNS</p> <p>LH EHIBCC Numbers</p> <p>0 - 9 (single digits, 10 different codes, EAN.UCC Company Prefix)</p> <p>Available when Embedded UII Classification is Non-GFP</p>	
3	Enterprise identifier	4/9	C	<p>Enterprise Identifier (EID) is required if UID Type (Field 1) is UID1 or UID2.</p> <p>EID must be 5 characters if IAC (Field 2) is a CAGE (i.e., "D").</p> <p>EID must be 6 characters if IAC (Field 2) is a DoDAAC (i.e., "LD").</p> <p>EID must be 9 characters if IAC (Field 2) is a DUNS (i.e. "UN").</p> <p>EID must be 4 characters, with first character a letter and remaining 3 characters alphanumeric, if IAC (Field 2) is EHIBCC Number (i.e. "LH").</p> <p>IF EID is entered, then IAC in Field 2 is mandatory.</p> <p>Available when Embedded UII Classification is Non-GFP</p>	AN
4	Original Part Number	1/32	O	<p>When UID Type is UID2, then either Original Part Number or Batch/Lot can be used, but not both. The document will be rejected if both are given for UID Type UID2</p> <p>This is the Enterprise-assigned Part Number corresponding to the assigned UID.</p> <p>Enter Part Number even if not used in UII creation.</p> <p>No special characters, except for dashes (-) and forward slashes (/), are allowed. If received, then the document will be rejected.</p> <p>Available when Embedded UII Classification is Non-GFP</p>	AN
5	Lot/Batch Number	1/20	O	<p>When UID Type is UID2, then either Original Part Number or Batch/Lot can be used, but not both. The document will be rejected if both are given for UID Type UID2</p> <p>If Batch/Lot number is entered, Fields 4, 9, 10, 11 and 12 are optional.</p>	AN

				<p>Enter the Original Part Number, Current Part Number, Original Manufacturer's ID, 2D Compliant Flag or enter Batch/Lot.</p> <p>No special characters, except for dashes (-) and forward slashes (/), are allowed. If received the document will be rejected.</p> <p>Available when Embedded UII Classification is Non-GFP.</p>	
6	Unit Price	N/A	N/A	Not used.	N/A
7	Unit of Measure	N/A	N/A	Not used.	N/A
8	Miscellaneous	N/A	N/A	Not used.	N/A
9	Current Part Number	1/32	O	<p>No special characters, except for dashes (-) and forward slashes (/), are allowed. If received the document will be rejected.</p> <p>Only available when Embedded UII Classification is Non-GFP and UID Type in Field 1 is UID2 and the Original Part Number is used in the UII.</p> <p>Current Part Number cannot be entered when Lot/Batch is used in the UII.</p>	AN
10	Current Part Number Cost	N/A	N/A	Not used.	N/A
11	Current Part Number Effective Date	N/A	N/A	Not used.	N/A
12	Original Manufacturer Code	1/3	O	<p>If Field 12 is entered, then Field 13 is mandatory.</p> <p>D CAGE LD DoDAAC LB ANSI T1.220 UN DUNS LH EHIBCC Numbers</p> <p>0 - 9 (single digits, 10 different codes, EAN.UCC Company Prefix)</p> <p>Available when Embedded UII Classification is Non-GFP</p>	AN
13	Original Manufacturer ID	4/9	C	<p>If Field 12 is entered, then Field 13 is mandatory.</p> <p>Original Manufacturer's ID must be 5 characters if Field 12 is a CAGE (i.e., "D").</p> <p>Original Manufacturer's ID must be 6 characters if Field 12 is a DoDAAC (i.e. "LD").</p> <p>Original Manufacturer's ID must be 9 characters if Field 12 is a DUNS (i.e. "UN").</p>	AN

				Original Manufacturer's ID must be 4 characters, with first character a letter and remaining 3 characters alphanumeric, if Field 12 is an EHIBCC Number (i.e. "LH"). Available when Embedded UII Classification is Non-GFP.	
14	Warranty Indicator	1/1	O	Valid values are "Y", "N" or blank. This Field should only be used when Field 17 is "N" for non-GFP. It should not be used when Field 17 is "Y" for GFP.	AN
15	Property Category Code	1/1	C	Available when Embedded UII Classification is GFP Entry of the Property Category Code is not required. Property Category Code will be automatically defaulted to "M". If entered, the value will be ignored.	AN
16	2D Compliant	N/A	N/A	Not used	N/A
17	Embedded UIIs/UID Classification Indicator	1/1	M	This field at the Embedded UII header level uses a "Y" to indicate the Embedded UIIs are GFP and an "N" to indicate Non-GFP.	AN
18	Special Tooling/ Special Test Equipment	2/3	O	ST – Special Tooling STE – Special Test Equipment NS - Neither If this field is not entered, it will be defaulted to NS (Neither)	AN

Samples:

For GFP

16M*^^^^^^^^^^^^^^^^M^Y^ST^

For Non-GFP

16M*UID2^D^06481^BATCH/LOT/NUMBER^^^^^LD^LC0508^Y^^^N^

or

16M*UID2^D^06481^ORIGINALPARTNUMBER^^^^^CurrentPartNum001^^^LD^LC0508^Y^^^N^

Special Tooling/Special Test Equipment

16M*UID1^D^06481^^^^^^^^^^^^N^^^N^ST^

EXAMPLES

The following examples show possible combinations of Lines 16M, 16N, and 16O for Embedded UID Information in FTP file:

Example 1:

```
16D*UID1^D^3D135^^^^^^^^^^^^^^N^
16F*D3D135SERNUM001^SERNUM001^
16D*UID2^LD^FU4417^PARTNUM01^^^^^^^^^^^^^^N^
16F*LDFU4417PARTNUM01SERNUM001^SERNUM001^
16D*ESN^LD^FU4417^PARTNUM01^^^^^^^^^^^^^^N^
16F*01234566^SERNUM002^
16M*ESN^LD^FU4417^PARTNUM03^^^^^^^^^^^^^^N^^^N^
16N*DESCRIPTION FOR EMBEDDED UII NON GFP CLASSIFICATION.^
16O*01234567^SERNUM003^
16M*^^^^^^^^^^^^^^^^^^M^^Y^
16O*01234568^^
16F*01234569^SERNUM005^
```

- Only two lines, 16F or 16O, can be present above line 16M.
- Line 16N is not used and will be ignored if entered when line 16M, Field 17 (GFP Classification) is 'Y'.
- Each 16M must have at least one following 16O before a 16F can be added.
- In this example, there are 4 UIDs present (Line 16F) and 2 Embedded UIDs present (Line 16O).
- The 3rd UID '01234566' has 2 Embedded UIDs, one Non-GFP Classification and the other GFP Classification.

Example 2:

```
16D*UID1^D^3D135^^^^^^^^^^^^^^N^
16F*D3D135SERNUM001^SERNUM001^
16M*^^^^^^^^^^^^^^^^^^M^^Y^
16O*01234568^^
16F*D3D135SERNUM002^SERNUM002^
16F*D3D135SERNUM003^SERNUM003^
16M*ESN^LD^FU4417^PARTNUM03^^^^^^^^^^^^^^N^^^N^
16N*DESCRIPTION FOR EMBEDDED UII NON GFP CLASSIFICATION.^
16O*01234567^SERNUM003^
16F*D3D135SERNUM004^SERNUM004^
```

- In this example, there are 4 UIDs present (Line 16F) and 2 Embedded UIDs present (Line 16O).
- The first UID 'D3D135SERNUM001' has one Embedded UID with GFP Classification.
- The 3rd UID 'D3D135SERNUM003' has one Embedded UID with Non-GFP Classification.

Example 3:

```

16D*UID1^D^3D135^^^^^^^^^^^^^N^
16F*D3D135SERNUM001^SERNUM001^
16M*ESN^LD^FU4417^PARTNUM03^^^^^^^^^^^^^N^^^^N^
16N*DESCRIPTION FOR EMBEDDED UII NON GFP CLASSIFICATION.^
16O*01234567^ESERNUM001^
16O*01234568^ESERNUM002^
16O*01234569^ESERNUM003^
16F*D3D135SERNUM002^SERNUM002^
16F*D3D135SERNUM003^SERNUM003^
16M*^^^^^^^^^^^^^^^^M^^Y^
16O*01234570^^
16O*01234571^^
16M*ESN^LD^FU4417^PARTNUM03^^^^^^^^^^^^^N^^^^N^
16N*DESCRIPTION FOR EMBEDDED UII NON GFP CLASSIFICATION.^
16O*01234572^ ESERNUM006^
16O*01234573^ ESERNUM007^
16F*D3D135SERNUM004^SERNUM004^

```

- Embedded UIDs are similar to Parent UIDs (Lines 16D and 16F). There can be more than one Line 16F following a Line 16D just like there can be more than one Line 16O following a Line 16M.
- In this example, there are 4 UIDs present (Line 16F) and 7 Embedded UIDs present (Line 16O).
- The first UID ‘D3D135SERNUM001’ has three Embedded UIDs and all of them are Non-GFP Classification.
- The 3rd UID ‘D3D135SERNUM003’ has four Embedded UIDs; the first 2 are GFP Classification and the last 2 are Non-GFP Classification.

1.70 Embedded Item Description (Line Number 16N)**LOOP ID:** Line Number - 15

NOTES: There may be one to 25 instances of the Embedded Item Description per Embedded UII Loop. Each instance may contain any number of characters, as long as it does not exceed the min/max requirements. The characters from each instance of the Embedded Item Description will be combined to create the complete Embedded Description for the Embedded UII Loop. The total number of characters for the complete Embedded Description may not exceed 225.

Use Lines 16M, 16N and 16O to report Embedded UII information.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Embedded Item Description	1/75	C	Mandatory for Non-GFP. Embedded Description may not exceed a combined total of 225 characters within each Embedded UII loop. The submission will fail and an error message will be sent stating that the character limit is 225 if that number is exceeded (includes spaces). Available when Embedded UII Classification is Non-GFP.	AN

Sample:

16N*Description^

1.71 Embedded UID Number/Serial Number (Line Number 16O)**LOOP ID:** Line Number - 15**NOTES:** Use Lines 16M, 16N and 16O to report Embedded UII information.

Only 100 Embedded UIIs per Parent UII (Line 16F) are allowed.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	UID Number	1/50	M	Available when Embedded UII Classification is GFP or Non-GFP.	ID
2	Serial Number	1/30	O	Available when Embedded UII Classification is Non-GFP.	ID

*Sample:***16O*1DST7XX015GOOD312347OVS^ESRNUM007^**

1.72 Embedded Mark Value for UII (Line Number 16Q)**LOOP ID:** Line Number - 15

NOTES: There may be one or more instances of the Mark Value added per Non-GFP Embedded UII per Line Item Loop. If the Mark Value is not submitted, a default of 2D Compliant Mark will be added for the Non-GFP Embedded UII. Mark Value may not be submitted and will not default for GFP Embedded UIIs.

This line may only be used when Line 16M Field 17 is “N” for non-GFP. It should not be used when Line 16M Field 17 is “Y” for GFP.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	UII	1/50	M	Unique Identifier	AN
2	Contents	2/3	M	Valid values are: Contract Number Date of Manufacture FAA Certification Hull Number Internal Asset Number Item Nomenclature Lot Number Manufacturer Code Manufacturer Name National Stock Number Part Number Property Control Number Serial Number Service/Agency/Command Supplier Name Tail Number Type Designation UID USA Number USAF Number USN Number Vessel Class	AN
3	Medium	1/30	M	Valid values are:	AN

				2D COMPLIANT NONCOMPLIANT DATA MATRIX HUMAN READABLE CMB PDF417 BARCODE RFID DEFINED PROFILE	
4	Marker Value	1/170	M	Marker Value	M
5	Effective Date	8/8	M	Effective Date	DT
6	Marker Code	1/2	M	Valid values are: UN – DUNS RH – Health Industry Business Communications Council LH – EHIBCC LD – DoDAAC LB – ANSI T1.220 D – CAGE 0-9 – EAN.UCC	AN
7	Marker ID	2/13	M	Marker ID	AN
8	Bagged/Tagged	1/1	M	Y/N	A
9	Set	5/5	M	Valid values are: SET 1, SET 2, SET 3, SET 4, SET 5, SET 6, SET 7, SET 8, SET 9	AN

Sample:

16Q*D06481354634563456^UID^DEFINED^D06481354634563456^20131104^D^06481^Y^SET 3

16Q*D06481354634563456^VESSEL CLASS^PROFILE^4545^20131104^D^06481^N^SET 2

1.73 Serial Number (Line Number 16R)

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables COMBO</i>	<i>Notes</i>	<i>Type</i>
1	Item Serial Number	1/30	O	Enter the Serial Number.	AN
2	Condition Code	1/1	O	Enter Supply Condition Code.	ID

Sample:

16R*00000011001A^A^

Notes:

The sum of UIIs and Item Serial Numbers must equal Quantity Repaired/Shipped on creation.

1.74 Quantity Shipped/Invoice Provided Information (Line Number 17)**LOOP ID:** Line Number - 15**NOTE:** There must be one instance of the Quantity Shipped Information per Line Item Loop.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Quantity Shipped /Invoice Provided Information	1/11	M	This Field is mandatory. Number allows 8 before the decimal and 2 after (R8.2). CDRL – Enter "1" as the Quantity when an ELIN contains a CDRL. If another value is entered, it will be ignored and defaulted to "1".	R8.2
	MOCAS	1/8	M	No decimals allowed.	N
	EBS	1/11	M	If decimals are submitted, there may be 8 to the left and 2 to the right of the decimal, or 7 to the left and 3 to the right of the decimal. If DSS or DMLSS Ship To, Quantity must be a whole number with maximum field size of 10. If UID information is entered, in Line 16D, 16E, or 16F, then this Field must be a whole number.	R8.2 or R7.3
2	Ship Advice Code	1/1	O	This entry is optional and if not entered will default to blank. If a Ship Advice Code is entered, then it must be capitalized.	ID
	MOCAS			This Field is optional and if not entered, will default to "H."	
	MOCAS and/or DCMA Administered			If "SVC" (services) is selected in Line 3, then this field not used. See list below.	
3	Number of Items Repaired	1/8	M	Since Actual Quantity is not used on Reparables, this Field is used to report Number of Items Repaired.	N
	EBS	1/11	M	If decimals are submitted, there may be 8 to the left and 2 to the right of the decimal, or 7 to the left and 3 to the right of the decimal.	R8.2 or R7.3

				If DSS or DMLSS Ship To, Quantity must be a whole number with maximum field size of 10.	
--	--	--	--	---	--

Sample:

17*12^A^^

Field 2 – Ship Advice Code

Blank

- A Components Missing
- B Missing Components Furnished
- C Quantity Increase
- D Quantity Decrease
- E Replacement Shipment
- F Shipped and Held in Bond at Contractor's Plant
- G Shipped and Held as GFP - (G – shipped and held as GFP at the contractor facility – “Shipped in Place”)
- H Shipped/Performed as Indicated
- Z Under Run Quantity

1.75 Unit of Measure Code (Line Number 18)**LOOP ID:** Line Number - 15**NOTE:** There must be one instance of the Unit of Measure Code per Line Item Loop.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Unit of Measure Code	2/2	M	<p>This Field is mandatory.</p> <p>iRAPT only accepts X12 Unit of Measure Codes. Refer to the iRAPT website under the Lookup dropdown for the Units of Measure Table.</p> <p>If a Unit of Measure code is entered, then it must be capitalized.</p> <p>When a MOCAS DoDAAC is used and "LO" (lot) code is used as the Unit of Measure and zero is reported for Quantity Shipped, the total for the Line Item will be computed to be the Unit Price amount.</p> <p>CDRL – Enter "EA" as the Unit of Measure when an ELIN contains a CDRL. If another value is entered, it will be ignored and defaulted to "EA". However, if the document is for services (Line 3, Field 1 = SVC) and MOCAS/DCMA Administered, then enter "LO" for Unit of Measure. If another value is entered in this case, it will be rejected by iRAPT.</p>	AN

Sample:

18*EA^

1.76 Unit Price / Amount (Line Number 19)

LOOP ID: Line Number - 15

NOTE: There may be one instance of the Unit Price/Amount per Line Item Loop.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Unit Price/Amount	1/16	C	If UID information is reported in Lines 16F, then Unit Price is mandatory. When creating a Reparables Receiving Report containing UIIs, the entry of the Unit Price is mandatory and must be greater than zero.	R9.6
	MOCAS, One Pay	1/15	C	Allows 5 positions to the right of the decimal point.	R9.5
	EBS	1/15	C	Contractors may, at their option, enter Unit Prices on any Material Inspection and Receiving Report (MIRR) copy, except, as a minimum: (1) For documentation of tangible items with Unique Identification (UID), the contractor shall enter the acquisition cost for each Contract Line, Subline, or Exhibit Line Item with UID. Acquisition cost is defined as: (i) For fixed-price type line, Subline, or Exhibit Line Items, the Unit Price identified in the contract at the time of delivery. (ii) For cost type line, Subline, or Exhibit Line Items, the contractor's estimated fully burdened unit cost to the Government for each item at the time of delivery.	R9.6

Sample:

19*123.23^

1.77 Not Separately Priced (Line Number 19A)

NOTE: There may be one instance of Line 19A per Line Item loop.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Not separately Priced (NSP) Indicator	1/1	O	This is an optional field at the Line Item level to indicate that the CLIN/SLIN/ELIN is Not Separately Priced (NSP) Vendors will enter "Y" in Line Number 19A to indicate NSP.	AN

Sample:

19A*Y^

Notes:

- If the NSP indicator is set, the Unit Price must be zero in Line 19. The document will reject if the NSP indicator is set and there is a value other than zero in the Unit Price Field.
- If the NSP indicator is set to "Y", the Line Item cannot contain UIDs, ACRN, AAA or SDN for that line item. The document will reject if the NSP indicator is set and the Line item contains UIDs, ACRN, AAA or SDN.
- If the "Y" value is not entered, the Field will default to "N".
- NSP indicator is not required when the unit price = zero. If an NSP is not used, the indicator will default to 'N' systematically; no message stating the value was defaulted will be sent.

1.78 Mark For Delivery CAGE/DoDAAC – Line Level (Line Number 19B)

NOTE: There may be one instance of the Mark For Delivery CAGE/DoDAAC per Line Item Loop. This field is only used for S/S Reparable Receiving Reports for EBS Pay with DSS Inspect By and Non-DCMA Admin By.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery CAGE/ DUNS/ DUNS+4/ DoDAAC	5/13	O		AN
2	Mark For Delivery Extension	1/6	C	This field must be left blank if Field 1 was not entered.	AN

Sample:

19B*N00383^^

1.79 Mark For Delivery Comments – Line Level (Line Number 19C)

NOTE: There may be one to 25 instances of the Mark For Delivery Comments per Line Item Loop. This field is only used for S/S Reparable Receiving Reports for EBS Pay with DSS Inspect By and Non-DCMA Admin By.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery Comments	1/75	O		AN

Sample:

19C*Ready to be reviewed^

1.80 Mark For Delivery Secondary Comments – Line Level (Line Number 19D)

NOTE: There may be one to 25 instances of the Mark For Delivery Secondary Comments per Line Item Loop. This field is only used for S/S Repairable Receiving Reports for EBS Pay with DSS Inspect By and Non-DCMA Admin By.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Mark For Delivery Secondary Comments	1/75	O		AN

Sample:

19D*Ready to be reviewed again^

1.81 Issue By DoDAAC (Line Number 20)

NOTE: There may be one instance of the Issue By DoDAAC information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Issue By DoDAAC	6/6	O	If the Issue By DoDAAC is not provided, this Field will be populated from EDA if the information is available.	AN

Sample:

20*N00383^

1.82 Issue By Address Information (Line Number 20A)

NOTES: There may be one instance of the Issue By Address Information per transaction.

The following Fields must be blank if Issue By DoDAAC in Line Number 20, Field 1, is not entered. The following Fields are optional if the Issue By DoDAAC in Line Number 20, Field 1, is entered.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Issue By Delivery Activity	1/60	C		AN
2	Issue By Delivery Activity	1/60	O		AN
3	Issue By Delivery Activity	1/60	O		AN
4	Issue By Delivery Address	1/55	C		AN
5	Issue By Delivery Address	1/55	O		AN
6	Issue By Delivery Address	1/55	O		AN
7	Issue By Delivery Address	1/55	O		AN
8	Issue By Delivery City	2/30	C		AN
9	Issue By State/Province	2/2	C		AN
10	Issue By ZIP Code	1/15	C	If Address is an APO or FPO, then cite the APO or FPO ZIP Code in this Field.	AN
11	Issue By Country Code	2/2	C		AN
12	Military Qualifier	2/2	C	Enter "AR" for Armed Service Location Designator (For APO/FPO). "AR" must be capitalized.	AN
13	Military Location	2/6	C	Enter APO/FPO and 2 letter code (i.e. AA, AE, or AP) AA Miami AE New York AP San Francisco "AA," "AE," "AP" must be capitalized. Example: FPO AP, APO AE	AN

Samples:

U.S. Address

20A*ABC COMPANY^^^123 Main St^^^Orlando^FL^32043^^^

Non-U.S. Address

20A*FCC Company^^^123 Main St^^^Bedford^NS^B4B 1G9^CN^^^

U.S. Military Address

20A*51st Activity Company^^^Camp David^^^^^^33043-0525^^AR^FPO AA^

Notes:

- If any Address information is entered, then the full name of the Issue By Activity and Address must also be provided.
- For U.S. Addresses, Fields 1, 4, 8, 9, and 10 are the minimum required to complete the Address. Other fields are optional.
- For Non-U.S. Addresses, Fields 1, 4, 8, 9, 10, and 11 are the minimum required to complete the Address. Other fields are optional.
- For U.S. Military Addresses, Fields 1, 4, 10, 12, and 13 are the minimum required to complete the Address. Other fields are optional.
- If a non-US address does not have a value for Field 9 (State or Province), use NA (not applicable).

1.83 Weight Information (Line Number 21)

NOTE: There may be one instance of the Weight Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Gross Weight	1/6	O	Value in Whole Pounds.	N

Sample:

21*5^

1.84 ARP, CoC, & Construction Information (Line Number 21A)

NOTE: There may be one instance of the Certificate of Conformance (CoC) and Alternate Release Procedures (ARP) Information per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	ARP – Alternate Release Procedure	1/1	O	Enter a capitalized “Y” for Yes, or “N” for No. If left blank, will default to “N.” ARP is only allowed for Source/Source and Source/Destination documents. This Field is not allowed on Destination/Destination documents.	ID
2	CoC – Certificate of Conformance	1/1	O	Enter a capitalized “Y” for Yes, or “N” for No. If left blank, will default to “N.” If the CoC is “Y” then an attachment is not required; however, entry of this Field indicates Vendor’s certification as required in regulations. CoC is only allowed for Source/Source and Source/Destination documents. This Field is not allowed on Destination/Destination documents. Please refer to the iRAPT Website: FTP/EDI Guides & Other Supporting Documents to view the Certificate of Conformance (CoC.doc) guidance. This is a Microsoft Word document stating that when Vendors submit Receiving Reports, contractors will execute CoC by including the appropriate indicator in the transaction rather than through the inclusion or attachment of the text of the certificate.	ID
3	Construction Certificate	N/A	N/A	Not used.	N/A

Samples:

21A*^Y^^

Note:

- ARP and CoC are mutually exclusive. Both are optional but only one may be reported.
- CoC is allowed only if the contract contains the CoC clause.

1.85 Estimated Delivery Date (Line Number 22) – Skip this Line

1.86 Comments (Line Number 23)

NOTE: There may be one to 25 instances of the Comments per transaction for the Reparables Receiving Report.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Initiator Comments	1/75	O		AN

Sample:

23*This is a comment for the whole document^

1.87 Accounting Data – FORM LEVEL (Line Number 24) – Skip this Line

1.88 Attachment Indicator (Line Number 25)

NOTE: There must be one instance of the Attachment Indicator per transaction.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Attachment Indicator	1/1	M	Enter a capitalized "Y" for Yes or "N" for No.	ID

Sample:

25*Y^

1.89 Attachment Files (Line Number 26)

NOTES: There may be multiple instances of the Attachment Files per transaction.

When attachments are included with documents submitted via SFTP, if document submission fails in iRAPT, the attachment must be resubmitted at the same time the document is resubmitted.

Ensure that all attachments are sent prior to the FTP file.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Attachment Files	1/100	C	<p>If the Attachment in Line Number 25, Field 1, is "Y," then this Field is mandatory.</p> <p>This Field will contain the name of the file to be attached to the document.</p> <p>File names must be unique. If a file name is sent that already exists, then the existing file will be overwritten.</p> <p>If the same file must be attached to multiple documents, then vary the file name slightly for each Attachment.</p> <p>iRAPT will accept the following types of attachments:</p> <p>BMP: Bitmap DOC: Microsoft Word Application HTM: Hypertext Markup HTML: Hypertext Markup Language JPG: Joint Photographic Exerts Group Format MSG: Microsoft Outlook Application PDF: Adobe Acrobat Portable Document Format PPT: Microsoft PowerPoint Application RTF: Rich Text Format TIF: Tagged Image File Format TXT: Plain text format XLS: Microsoft Excel Application</p>	ID

Sample:

26*document.doc^

Notes:

- The naming convention for attachments is as follows: Only underscores may be used in the file name. No spaces or special characters are allowed in the file name
- The document is case sensitive and must exactly match the name of the attachment being sent.
- The attachment must be submitted prior to the submission of the transaction. If multiple attachments are submitted, they must have unique names.
- If for any reason the original transaction with an attachment fails import to iRAPT, the attachments must be resubmitted as well as the transaction
- A single attachment file may not exceed 5 megabytes. Multiple attachment files may be submitted.

Example:

CAGEx_ccyyymmdd.XXX

1.90 ACRN Worksheet (Line Number 27) – Skip this Line

1.91 Radio Frequency Identification (RFID) & Pack Data – (Line Number 28)

NOTES: There may be one or more instances of RFID/PACK data reported on Line 28.

If additional layers of RFID/PACK data are going to be reported, Line 28 should be repeated with an incremental letter (e.g. 28A, 28B, 28C and 28D) to indicate layering of the packs. There are a maximum of five layers or RFID/PACK data allowed including the first Line 28 that is reported. The Pack Quantity must balance to the Number of Items Repaired reported in Line 17, Field 3.

If Multi-Box Indicator “Y” is identified in Line 16L, Lines 28 (RFID) and 29 (CLIN and quantity will be used.

If UII is included, one Line 30 with the UII in Field 1 and the Mark Indicator “Y” in Field 2 will be used to identify the same UII of the Multi-Box Pack.

If Pack Later is set on a Reparables Receiving Report D/D with an active Receiver, the spawned Property Transfer document will not be created until after pack data is added.

If Pack Later is not set for a Reparables Receiving Report D/D with an active Receiver, a Property Transfer document will be spawned on submission to the Receiver.

ELINs containing CDRLs may not be packed.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Tag Type	4/4	O	<p>Enter “RFID” when RFID tag data is going to be reported. If RFID is entered in Field 1, then RFID Tag Data must be reported in Field 2.</p> <p>If RFID data is NOT going to be reported, leave Field 1 blank and enter the word "NONE" in Field 2. Vendor also has the option to leave Lines 28-30 blank if they choose to do so.</p> <p>If RFID data is going to be reported later in a supplemental report, leave Field 1 blank and enter the word "LATER" in Field 2.</p>	AN
2	Tag ID	16/64 4/4	C	<p>Enter RFID Tag Data</p> <p>RFID TAG Data will be hexadecimal (Base 16).</p> <p>Characters allowed will be numerals 0 - 9 and letters A - F, only. No spaces and no special characters. If noncompliant, the document will be rejected.</p> <p>Number of characters allowed will be 16, or 24, or 32, or 64, only. If there is</p>	ID

		5/5	<p>any other character-count, the document will be rejected.</p> <p>Enter "NONE" if RFID tag data is NOT going to be reported or leave blank. If "NONE" is entered in Field 2, then Field 1 should be blank and Lines 28A-D, 29 and 30 are not used.</p> <p>Enter "LATER" if RFID tag data is to be provided at a later date. "LATER" identifies that RFID tag data will be reported in a Pack Update Repairables Receiving Report.</p> <p>If "LATER" is entered in Field 2, the Advanced Shipment Notice associated with the document will be held back in the iRAPT application until the data is received. The follow on submission of this data may be submitted via the Web, FTP or EDI using the Pack Update process. The Advance Shipment Notice needs to be provided to the Ship To Activity prior to the arrival of the shipment.</p> <p>If "LATER" is entered in Field 2, Field 1 should be blank and Lines 28A-D, 29 and 30 are not used.</p> <p>Only one pack file per document may be sent. Once it is sent the document will move on in the workflow process.</p> <p>Please refer to the iRAPT Website: FTP/EDI Guides & Other Supporting Documents to view the ReceivingReport_Pack_Update_UDF.doc.</p>
--	--	-----	--

Samples:

28*RFID^CE71133E31FC1C35^

28*^NONE^

28*^LATER^

For multiple/layering packs – the following would represent:*The Pack in Line 28D is in the Pack in Line 28C**The Pack in Line 28C is in the Pack in Line 28B**The Pack in Line 28B is in the Pack in Line 28A**The Pack in Line 28A is in the Pack in Line 28*

28*RFID^CE71133E31FC1C36^
28A*RFID^CE71133E31FC1C32^
28B*RFID^CE71133E31FC1C31^
28C*RFID^CE71133E31FC1C37^
28D*RFID^CE71133E31FC1C38^
28*RFID^CE71133E31FC1C39^

For Multi-pack/Multi-box

Four different RFIDs with the same CLIN and same UID between four different boxes

28*RFID^A23456789012345A^
29*0002^1^
30*D26512SERNUM0001-/1^^
28*RFID^B23456789012345B^
29*0002^1^
30*D26512SERNUM0001-/1^Y^
28*RFID^C23456789012345C^
29*0002^1^
30*D26512SERNUM0001-/1^^
28*RFID^D23456789012345D^
29*0002^1^
30*D26512SERNUM0001-/1^^

Without UIIs:

Four different RFIDs with the same CLIN between four diff boxes

28*RFID^A23456789012345A^
29*0002^1^
28*RFID^B23456789012345B^
29*0002^1^
28*RFID^C23456789012345C^
29*0002^1^
28*RFID^D23456789012345D^
29*0002^1^

1.92 RFID Reporting – CLIN/SLIN/ELIN Number & Quantity – (Line Number 29)

NOTES: There may be one or more instances of Line Number 29. This Line is mandatory if Line 28 is reported.

If Multi-Box Indicator “Y” is identified in Line 16L, Lines 28 (RFID) and 29 (CLIN and quantity will be used.

If UII is included, one Line 30 with the UII in Field 1 and the Mark Indicator “Y” in Field 2 is used to identify the same UII of the Multi-Box Pack.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	CLIN	4/6	M	If a CLIN/SLIN/ELIN is submitted in lowercase characters, they will be converted to uppercase.	AN
2	Quantity	1/11	M	If decimals are submitted, there may be 8 to the left and 2 to the right of the decimal, or 7 to the left and 3 to the right of the decimal. If DSS or DMLSS Ship To, Quantity must be a whole number with maximum field size of 10.	R8.2
	EBS	1/11	M		R8.2 or R7.3

Sample:

29*0001^3^

1.93 RFID Reporting – UID Information (Line Number 30)

NOTE: There may be one or more instances of Line 30, Field 1 to report UII information included in the RFID/Pack.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	UID – Unique Identifier	1/50	M	The Unique Identifier that ensures uniqueness of items that are listed in the DoD UID Registry.	AN
2	Mark Indicator	1/1	C	This Field must contain a “Y” when UII within Multi-Box Pack and may only be used once per unique UII. Enter “N” for No or leave blank when using Line 30 for other than Multi-Box Pack.	AN

Samples:

30*D012340001^^

30*D012340001^Y^

Notes:

- If item has UIDs, the number of UIDs reported must match the quantity reported in Line 29, Field 2.
- If Multi-Box Indicator “Y” is identified in Line 16L and UII is included, one Line 30 with the UII in Field 1 and a Mark Indicator “Y” in Field 2 will be used to identify the same UII of the Multi-Box Pack.

1.94 RFID Reporting – Serial Number Information (Line Number 31)

NOTES: There may be one or more instances of Line 31 to report Item Serial Number information included in the RFID/Pack.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables COMBO</i>	<i>Notes</i>	<i>Type</i>
1	Item Serial Number	1/30	O	Enter the Item Serial Number that is being packed.	AN
2	Mark Indicator	1/1	C	This field must contain a “Y” when Item Serial Number within Multi-Box Pack and may only be used once per unique Item Serial Number. Enter “N” for No or leave blank when using Line 30 for other than Multi-Box Pack.	ID

Sample:

31*00000011001A

1.95 SEPARATOR or END (Label SEPARATOR or END)

NOTES: The SEPARATOR (=SEPARATOR=) must be used between transactions when there are multiple transactions in the file. There may be one or more instances of the SEPARATOR per file.

DO NOT USE SEPARATOR IF FILE ONLY CONTAINS ONE DOCUMENT.

There must be one instance of the END (=END=) per file and it must be at the end of the file.

<i>Field</i>	<i>Description</i>	<i>Min/ Max</i>	<i>Reparables Receiving Report</i>	<i>Notes</i>	<i>Type</i>
1	Separator	11/11	C	Use “=SEPARATOR=” to signal that there are more documents in the file.	ID
	End	5/5	M	Use “=END=” to signal that this is the end of the file.	

Samples:

=SEPARATOR=

=END=